

Manufacture Date :
Expiration Date :
Charge No :
Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE	TIME BETWEEN FINAL APPLICATION & HARVEST
Wheat	The yellow rust (<i>Puccinia striiformis</i>)	On 50 ml	42Days

Application:

The preparation of drug for implementation:

Reikon mix with water as formulation being concentrated suspension. Firstly, the amount of drug which will be used is made as slurry into the separated container. Then, it is poured into the tool of disinfestation filled with water as half and the rest of water is added by mixing. Prepared medicated mixing should be used without waiting too much. The mixing should be kept on during pulverization.

The calibration of disinfestation tool:

Be sure that it is calibrated of tool properly before the disinfestation.

Firstly, the plants on the definite field is properly gotten wet with only water to assess the amount of douche to be used for decare

The amount of water which will be used for decare is determined by the assessment of spent water. The amount of water is determined that will be used for a decare as appropriate the phenology of the plant.

The execution time:

The first disinfestation as covering is done when the first indication of disease on environment. If the conditions go on properly for disease, the second one as disinfestation should be done with the interval as 10-14 days.

The tolerance of the plant:

The drug **Reikon** has not got any negative effect on suggested products when it is used as suggested one.

INFORMATION ON RESISTANCE:

The pesticide name **Reikon** is a fungicide classifies as Group 11;C3 in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Reikon** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group 11;C3).

MINISTRY OF FOOD AGRICULTURE AND LIVESTOCK
GENERAL DIRECTORATE OF FOOD AND CONTROL

ACCEPTED

21 August

Signature and Stamp

AGRI SCIENCES Tarım ve İlaç Ür. San. Ve Tic. Ltd. Şti.

AGRI
SCIENCES
REIKON

Suspension Concentrate (SC)

Name & Amount of Active Ingredient:

200 g Azoxystrobin+ 80 g Cyproconazole in Liter
Methyl (E)-2-{2-[6-(2-cyanophenoxy)pyrimidin-4-Yloxy]phenyl}-3-methoxyacrylate+(2RS,3RS;2RS,3SR)-
-2-(4-chlorophenyl)-3-cyclopropyl-1-(1H-1,2,4-triazol-1-yl)butan-2-ol(JUPAC)

GROUP	11;C3	FUNGICIDE
-------	-------	-----------

FIRSTLY READ THE LABEL.

DO NOT USE AT HOME.

KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.

DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.

PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.

DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.

DO NOT ALLOW HUMAN AND ANIMAL TO ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY

PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.

IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.

SHAKE WELL AFTER ADDING CLEAN WATER TO EMPTY CONTAINER OF PESTICIDE WITH THE RATE OF 1/4. POUR THE SHAKEN WATER INTO DISINFESTION TANK. REPEAT THIS PROCESS THREE TIMES

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Net Amount :
Max. Retail Sales Price :

HAZARD PROPERTY:

Xn: HARMFUL (For reproductive system toxic category 3)

N: DANGEROUS FOR THE ENVIRONMENT

HAZARD SYMBOLS AND EXPLANATION:



Xn: HARMFUL N: DANGEROUS FOR THE ENVIRONMENT
(For reproductive system toxic category 3)

INGREDIENTS:

Includes azoxystrobin and cyproconazole

RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

R23: Toxic by inhalation .

R51/53: Toxic for aquatic organisms, may cause adverse effects longtime in aquatic environment

R63: Possible risk of harm to the unborn child

SAFETY EXPRESSIONS:

S1/2: Keep locked up and out of the reach of children

S13: Keep away from food, drink and animal feeding stuffs.

S29: Do not empty into drains

S37: Wear suitable gloves.

S39: Wear eye/face protection

S45: In case of accident or if you feel unwell seek medical advice immediately (show the label where possible)

S46: Call a doctor immediately if swallowed and show the container or label.

S56: Dispose of this material and container in collection places for dangerous or special wastes.

S63: In case of accident by inhalation: remove casualty to fresh air and keep at rest

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)

MISCIBILITY:

Generally, it can be used with other agricultural drugs in terms of the same formulation. Before doing the mixing on a great amount for disinfestation, it is suggested that the pre-mixing trials should be done.

**MINISTRY OF FOOD AGRICULTURE AND LIVESTOCK
GENERAL DIRECTORATE OF FOOD AND CONTROL**

ACCEPTED

21 August

Signature and Stamp

AGRI SCIENCES Tarım ve İlaç Ür. San. Ve Tic. Ltd. Şti.



Suspension Concentrate (SC)

Name & Amount of Active Ingredient:

200 g Azoxystrobin+ 80 g Cyproconazole in Liter
Methyl (E)-2-[2-[6-(2-cyanophenoxy)pyrimidin-4-
Yloxy]phenyl]-3-methoxyacrylate+(2RS,3RS;2RS,3SR)-
-2-(4-chlorophenyl)-3-cyclopropyl-1-(1H-1,2,4-triazol-
1-yl)butan-2-ol(JUPAC)

GROUP	11;C3	FUNGICIDE
--------------	--------------	------------------

SYMPTOMS OF POISONING:

If taken in a significant amount, nausea, vomiting and diarrhea with abdominal pain can be seen.

FIRST AID MEASURES:

In case of poisoning, call a doctor or take the patient to the doctor with package or label.

In case of contact with eye, rinse the eye with water for 15-20 minutes. Remove contact lenses after first 5 minutes if present, then continue rinsing eyes. Rinse the mouth if swallowed. Do not induce vomiting. Do not give anything orally if the patient is unconscious.

If contaminated to skin and clothes, take off the contaminated clothes. Wash the skin with plenty of water for 15-20 minutes.

If the irritation continues, seek medical help.

In case of inhalation, move the patient to fresh air. If the breathing is irregular or stopped, provide artificial respiration. Keep the patient warm and in relaxing position. Seek medical help

ANTIDOTE AND NECESSARY INFORMATION:

There is no special antidote. The treatment is performed as per the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

HANDLING AND STORAGE CONSIDERATIONS:

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for bees.
- Do not use during florescence
- Toxic for fish
- Avoid contaminating above and underground waters.

STORAGE CONDITIONS:

In its original package store it closed , away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical and chemical changes for 2 years.

DISCLAIMER

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

**MANUFACTURING AND PERMIT HOLDING COMPANY:
AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD.
STI.**

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)