

Manufacture Date :
Expiration Date :
Charge No :
Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE	TIME BETWEEN FINAL APPLICATION & HARVEST
APPLE	The smutch (<i>Venturia inaequalis</i>)	100 L water/200 ml	3 Days
CUCUMBER	The mildew (<i>Pseudoperonospora cubensis</i>)	100 L water /250 ml	3 Days
SUGAR BEET	The disease of leaf spot (<i>Cercospora beticola</i>)	300 ml/da	3 Days
TOMATO	The mildew (<i>Phytophthora infestans</i>)	100 L water / 175 ml	3 Days
APRICOT	The driller leaf (<i>Coryneum beijerinckii</i>)	100 L water / 200 ml (The period as normal and dormant)	56 Days

APPLICATION :

The preparation of drug for implementation:

The amount of water which will be used is brought into slurry with a fair amount of water into separated container after absolutely turning topsy-turvy of the packing of drug to get wee-mixture in a few times during the preparation of solution with drug before implementation and then it is poured into disinfestation tool filled with water as a half. The rest amount of water is added by being mixed. Prepared mixing should be used without waiting too much.

The execution time:

Against the smutch on apple:

When the blooming appears, 1. Disinfestation starts.

The second disinfestation should be done during the seeds of the pink rosette (when the flower is seen separately)

The third disinfestation should be done when the flower's petals pour as 70-80% .

Fourth and other disinfestations should be done with intervals as 10 days according to appropriate conditions for processing of disease of ecologic conditions

AGRI SCIENCES Tarım ve İlaç Ür. San. Ve Tic. Ltd. Şti.


SPRINT

Suspension Concentrate (SC)

Name & Amount of Active Ingredient: 500 g

Chlorothalonil in Liter
Tetrachloroisophthalonitrile

GROUP	M5	FUNGICIDE
-------	----	-----------

FIRSTLY READ THE LABEL.

DO NOT USE AT HOME.

KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.

DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.

PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.

DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.

DO NOT ALLOW HUMAN AND ANIMAL TO ENTRY INTO PESTICIDE TREATED AREAS FOR 3 DAYS

PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.

IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Net Amount :
Max. Retail Sales Price :

HAZARD TYPES:

T+: Too toxic N: DANGEROUS FOR THE ENVIRONMENT

HAZARD SYMBOLS



T+: Too toxic N: DANGEROUS FOR THE ENVIRONMENT

INGREDIENTS:

Chlorothalonil

RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

R26: Too toxic if inhaled

R37: Irritant to respiratory system

R40: Limited evidence for cancerogenic effect.

R41: Serious damage risk on eye

R43: May cause sensitivity in case of contact with skin.

R50/53: Too toxic for aquatic organisms, may cause adverse effects longtime in aquatic environment

SAFETY EXPRESSIONS:

S1/2: Keep locked and out of the reach of children

S4: Keep away from settlements.

S13: Keep away from food, drink and animal feeding stuffs.

S20: Do not eat or drink while using.

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79



Suspension Concentrate (SC)

Name & Amount of Active Ingredient: 500 g
Chlorothalonil in Liter
Tetrachloroisophthalonitrile

GROUP	M5	FUNGICIDE
--------------	-----------	------------------

SYMPTOMS OF POISONING:

Irritant to eyes. In case of contact with skin, redness may occur and temporary allergic effects may occur by irritating bronchus. This is temporary and there is no permanent effect.

FIRST AID MEASURES:

Take the below-mentioned first aid in case of poisoning, call a doctor and take the package and label of the pesticide with you.

If contaminating eyes, wash with plenty of water immediately at least for 15 minutes. Call a doctor.

If contact with skin, take of contaminated clothes and wash contaminated body parts with plenty of warm water and soap. In case of irritation or sensitivity, call a doctor.

If inhaled, take the patient to the fresh air and make him/her breath easily. Call a doctor.

If swallowed, do not induce vomiting. Call a doctor immediately.

ANTIDOTE AND NECESSARY INFORMATION:

There is no special antidote. The treatment is performed as per the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

The mildew on cucumber: when the plants start to for first disinfection brunch or when the first indications of diseases on environment appear and then the disinfection starts. The disinfection goes on with intervals as 10 days.

The leaf-spot disease on sugar beet: when the least one spot appears 5% of mature leaves taken randomly in the direction of diagonal of fields, the disinfection should start. It should be repeated with the intervals as 15-20 days until 3-4 hours before harvest.

The mildew of tomato: When the first indications of disease on environment are seen, immediately the disinfection is started. It is repeated with intervals as 10-12 days.

The leaf-driller on apricot: The first disinfection is done immediately after the pour of leaf on autumn (dormant period), 2. Disinfection is done at period of pink flower seed before blooming in spring (normal term). 3. Disinfection is done at period of separation of table of stamen to the end of fruit and sepal on fruits.

INFORMATION ON RESISTANCE:

The pesticide name **Sprint** is a fungicide classifies as Group ... in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Sprint** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group ...).

MISCIBILITY:

Sprint can be used with many insecticide fungicide used commonly as WP by doing mixing of tank but suggestions and doses on the effects of drug should be taken care. It should not be mixed with powerful alkalis like claret red slurry. It is suggested that the suitability of mixing is controlled by preparing of a pre-mixing as a little amount. If there is disintegration or precipitator in pre-mixing prepared one and the drugs should be executed separately. The mixings should be executed without waiting. Its usage with surfactants and leaf-fertilizers by mixing and the mixing with two or more pesticide are not suggested.

S24: Avoid from contact with skin.

S26: In case of contact with eyes, wash with plenty of water and call a doctor.

S28: In case of contact with skin, wash with plenty of water.

S29: Do not discharge into sewage.

S35: Dispose of the material and container safely.

S36/37/39: Wear suitable clothes, protective gloves and protective glass/mask.

S45: If you feel bad or in case of accident, call a doctor (if possible, show the label)

S46: Call a doctor immediately if swallowed and show the container or label.

S51: Use only in well-ventilated area.

S56: Dispose of this material and container in collection places for dangerous or special wastes.

S61: Avoid from releasing it to environment. Apply Special Use Instruction/Safety Data Sheet.

S63: In case of inhalation: Take the patient to fresh air and provide him/her resting

S64: In case of swallowed, wash the mouth with water (if the patient is conscious)

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

AGRI SCIENCES Tarım ve İlaç Ür. San. Ve Tic. Ltd. Şti.



Suspension Concentrate (SC)

Name & Amount of Active Ingredient: 500 g
Chlorothalonil in Liter
Tetrachloroisophthalonitrile

GROUP	M5	FUNGICIDE
--------------	-----------	------------------

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

HANDLING AND STORAGE CONSIDERATIONS:

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for bees.
- Do not use during florescence
- Toxic for fish
- Avoid contaminating above and underground waters.

*** Shake well before usage**

STORAGE CONDITIONS:

In its original package store it closed , away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical and chemical changes for 2 years.

DISCLAIMER

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURING AND PERMIT HOLDING COMPANY:
AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. ŞTI.
Bekir Saydam Cad. No: 31
Pancar, Torbali, Izmir
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79