

Manufacture Date :
 Expiration Date :
 Charge No :
 Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE & TIME PERIOD	TIME BETWEEN FINAL APPLICATION & HARVEST
Cucumber (greenhouse)	The vine mildew (<i>Erysiphe cichoracearum</i>)	100 L water/ 15 gr	1 Day
Pepper (Greenhouse) / 2009	Mildew (<i>Leveillila taurica</i>)	100 L water/ 25 gr	1 Day
Tomato (Greenhouse) / 2009	Mildew (<i>Leveillila taurica</i>)	100 L water/ 25 gr	1 Day
Potato (Greenhouse) / 2009	Mildew (<i>Leveillila taurica</i>)	100 L water/ 25 gr	1 Day

APPLICATION:

THE PREPARATION OF DRUG FOR IMPLEMENTATION:

Firstly, the store of tool is filled with water as half. Then, the amount of drug with suggested dose for each 100 Liters water is mixed with water into separated water.

That mixing is poured into the store while the formation of tool's mixture is working and then it is completed with water determined at the beginning of process.

The execution time:

The vine mildew on cucumber (greenhouse): when the first indication of the disease are seen, the disinfection is started. If it is necessary according to the development of disease the second disinfection is done with the intervals of 10 days.

It should not be done at the period of the seed plots of cucumbers.

INFORMATION ON RESISTANCE:

The pesticide name **Scud** is a fungicide classifies as Group in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Scud** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group).

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



Water Soluble Granule (WG)

Name & Amount of Active Ingredient:

3,4% Cyflufenamid + 15.0% Triflumizole
 (Z)-N-[α-(cyclopropylmethoxyimino)-2,3-difluoro -6-(trifluoromethyl) benzyl]-2-phenylacetamide+(E)-4-chloro-α,α,α-trifluoro-N (1-imidazol-1-yl-2-propoxy ethylidene) -o-toluidine

GROUP	U6,3	FUNGICIDE
--------------	-------------	------------------

FIRSTLY READ THE LABEL.

DO NOT USE AT HOME.

KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.

DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.

PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.

DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.

DO NOT ALLOW HUMAN AND ANIMAL TO ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY

PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.

IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.

SHAKE WELL AFTER ADDING CLEAN WATER TO EMPTY CONTAINER OF PESTICIDE WITH THE RATE OF 1/4. POUR THE SHAKEN WATER INTO DISINFECTION TANK. REPEAT THIS PROCESS THREE TIMES

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Net Amount :
 Max. Retail Sales Price :

HAZARD TYPES:

Xi: Irritant N: DANGEROUS FOR THE ENVIRONMENT

HAZARD SYMBOLS



Xi: Irritant



N: DANGEROUS FOR THE ENVIRONMENT

INGREDIENTS:

Cyflufenamid and Triflumizole

RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

R43: May cause sensitivity in case of contact with skin.

R50/53: Toxic for aquatic organisms, may cause adverse effects longtime in aquatic environment

SAFETY EXPRESSIONS:

S1/2: Keep locked and out of the reach of children

S24: Avoid from contact with skin.

S29: Do not empty into drains

S36/37/39: Wear suitable clothes, protective gloves and protective glass/mask.

S46: Call a doctor immediately if swallowed and show the container or label.

S56: Dispose of this material and container in collection places for dangerous or special wastes.

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

MISCIBILITY:

If **Scud** is used with other drugs as mixing, it is suggested that the appropriateness of mixing should be controlled by preparing of a pre-mixing with little amounts.

If the prepared pre-mixing has got disintegration or precipitateness, that mixing should not be used. The drugs should be used separately. The mixings should be implemented without waiting.

It should not be mixed with powerful alkalis like claret red slurry.

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



Water Soluble Granule (WG)

Name & Amount of Active Ingredient:

3,4% Cyflufenamid + 15.0% Triflumizole

(Z)-N-[α -(cyclopropylmethoxyimino)-2,3-difluoro -6-(trifluoromethyl) benzyl]-2-phenylacetamide+(E)-4-chloro- α,α,α -trifluoro-N (1-imidazol-1-yl-2-propoxy ethylidene) -o-toluidine

GROUP	U6,3	FUNGICIDE
--------------	-------------	------------------

SYMPTOMS OF POISONING:

Irritant to eyes. May cause slightly irritation on skin.

FIRST AID MEASURES:

Take the below-mentioned first aid precautions in case of poisoning. Apply a doctor and take the package and label of the pesticide with you.

In case of contact with eyes: Wash the eyes at least for 15 minutes. Remove the contact lens if available and easy to do. Continue washing. If you do not feel well, call a POISON CENTER or a doctor.

In case of contact with skin: Take off contaminated clothes and shoes and wash the body with water and soap. Call a doctor if the irritation persists.

In case of inhalation: Take the patient to the fresh air and put him/her in a position to inhale easily. If the patient does not feel well, call a POISON CENTER or a doctor.

In case of swallowing: Rinse the mouth. If you do not feel well, call a doctor.

ANTIDOTE AND NECESSARY INFORMATION:

The treatment is performed as per the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

HANDLING AND STORAGE CONSIDERATIONS:

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for bees.
- Do not use during florescence
- Toxic for fish
- Avoid contaminating above and underground waters.

STORAGE CONDITIONS:

In its original package store it closed , away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical and chemical changes for 2 years.

DISCLAIMER

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79