

Manufacture Date :
 Expiration Date :
 Charge No :
 Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE	LAST APPLICATION-HARVEST INTERVAL
TOMATO	Early blight (<i>Alternaria solani</i>)	175 g/ 100 L water;	7 days
	Tomato mildew (<i>Pytophthora infestans</i>)	150 g/100 L water	
APPLE	Blackspot (<i>Venturia inaequalis</i>)	200 g/ 100 L water;	21 days
VINEYARD	Vineyard Mildew (<i>Plasmopara viticola</i>)	200 g/ 100 L water;	56 days
	Dead Arm (<i>Phomopsis viticola</i>)	200 g/ 100 L water;	
CITRUS	Brownspot (<i>Altemaria alternate f.sp.citri</i>)	250 g/ 100 L water;	28 days

Mode of Action and properties

Acclaim, has large radius, is a contact fungicidal. It is used protective (prophylactic). If applied pesticides to before disease factors enter to the plant tissue, best results are obtained.

USAGE METHOD:

Application to the preparation of pesticide

Pesticide, which is measured according to dosage, is mixture with a sum of water in a space container and is emptied out storage of half watery spraying tool and storage finishes with water.

Continued on Page 2

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



dry fluid (DF)

Name & Amount of Active Ingredient: % 80 Metiram
 Zinc ammoniate ethylenebis (dithiocarbamate)-
 Poly(ethylenethiuram disulphide)

GROUP	M3	FUNGICIDE
--------------	-----------	------------------

FIRSTLY READ THE LABEL.
 DO NOT USE AT HOME.
 KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.
 DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.
 PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GLASSES.
 DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.
 NO LIMITATION REQUIRED FOR HUMAN AND ANIMAL ENTRY INTO PESTICIDE TREATED AREAS FOR 4 HOURS.
 PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.
 IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Net Amount :
 Max. Retail Sales Price :

HAZARD TYPES:

N: DANGEROUS FOR THE ENVIRONMENT

HAZARD SYMBOLS:



N: DANGEROUS FOR THE ENVIRONMENT

INGREDIENTS:

CONTAINS METIRAM

RISK EXPRESSIONS:

R50/53: Plenty of toxic for aquatic organism can cause adverse effect in aquatic environment for a long time.

Safety Phrases:

S1/2 : Lock it up and keep out of the reach of children.

S13 : Keep away food, drinks and animal feeds.

S29/56 : Do not empty into drains. Dispose of this material and its container at hazardous or special waste collection point.

S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection.

MANUFACTURING AND PERMIT HOLDING COMPANY: AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31
 Pancar, Torbali, Izmir, TURKEY
 Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)

Application Period:

Tomato: Application should be started when first indications of disease are observed. Application should be continued for according to ecological conditions and course of the disease.

Black Spot Bruising on Apple: 1st application should be done at the time of flower budding, 2nd application should be done at the time of pink rosette budding, 3rd application should be done when petals are 70 to 80% shed, 4th and further applications should be done in 7 to 10 day intervals where ecological conditions are accommodating for the disease.

Mildew on Vine: First application should be done as a protective measure when the sprouts reach 25 to 30 cm in size. 2nd and 3rd applications should be done in 10 day intervals. 4th and 5th applications should be continued with 10 to 14 day intervals according to ecological conditions and the course of the disease.

Dead Arm on Vine: First application should be done when the sprouts are 2 to 3 cm in size. Second application should be done when sprouts reach 8 to 10 cm, and the third application should be done when the sprouts reach 25 to 30 cm in size.

Citrus Species: Application should be started when first indications of disease are observed.

INFORMATION ON RESISTANCE:

The pesticide name **Acclaim** is an acaricide classified as Group UN in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **acclaim** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except form Group UN).

MISCIBILITY:

Except for Bordeaux mixture, it can be mixture with all other fungicide and insecticides.

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



dry fluid (DF)

Name & Amount of Active Ingredient: % 80 Metiram
Zinc ammoniate ethylenebis (dithiocarbamate)-
Poly(ethylenethiuram disulphide)

GROUP	M3	FUNGICIDE
-------	----	-----------

SYMPTOMS OF POISONING:

Symptoms of Poisoning: Headache, nausea, fatigue.

First Aid Measures: If contact with the body, take off contaminated clothes. Wash the body part, which contact with medicine, with plenty of water and soap. If drug is swallowed, mouth should be washed immediately and drank plenty of water. Call the doctor and take package and label of the pesticide to doctor.

Antidote and Necessary Information: There is no special antidote. Treatment is applied according to the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

HANDLING AND STORAGE CONSIDERATIONS:

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for fish
- Avoid contaminating above- and underground waters.

STORAGE CONDITIONS:

In its original package store it closed , away from food and keep locked up and out of the reach of children and in cool and dry place. When stored under normal (cool and dry) conditions in its original closed package, the product will not experience any physical, chemical or chemical changes outside the tolerance limits for 2 years.

DISCLAIMER:

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. User endures damage risk which can occur because of factors out of manufacturer control. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.
Bekir Saydam Cad. No: 31
Pancar, Torbali, Izmir, TURKEY
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)