

Manufacture Date :  
Expiration Date :  
Charge No :  
Permit Date & Number :

#### TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE & TIME PERIOD	TIME BETWEEN FINAL APPLICATION & HARVEST
CUCUMBER (Field, greenhouse)	Two spotted red spider ( <i>Tetranychus urticae</i> )	100 ml/100 L water	1 day

#### METHOD OF APPLICATION:

##### Preparation:

First mix the necessary amount of the product with a small amount of water into slurry in a separate container. Then add this slurry to the tank filled to the half point with water and mix. Top off the tank with water.

##### Time of Application:

**Dugary** can be applied with an atomizer suitable for field and greenhouse applications. It should be applied by full coverage spraying method after morning dew or in evening cool. Application should be started when the controls show red spider population has reached economic damage level (5 red spiders per leaf). It is recommended to use **Dugary** in rotation with acaricides with different effect mechanisms.

**AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC.  
LTD. STI.**



**Emulsion Concentrate (EC)**

**Name & Amount of Active Ingredient:** 9.3 Milbemectin  
per Liter  
5-chloro-N-(2-+4-(2-ethoxyethyl)-2,3-  
dimethylphenoxy)ethyl)ethylpyrimidine-4-amine

<b>GROUP</b>	<b>6B</b>	<b>ACARICIDE</b>
--------------	-----------	------------------

FIRSTLY READ THE LABEL.

DO NOT USE AT HOME.

KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.

DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.

PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.

DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.

DO NOT ALLOW HUMAN AND ANIMAL TO ENTRY INTO

PESTICIDE TREATED AREAS FOR 1 DAY

PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.

**IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.**

SHAKE WELL AFTER ADDING CLEAN WATER TO EMPTY CONTAINER OF PESTICIDE WITH THE RATE OF 1/4. POUR THE SHAKEN WATER INTO DISINFECTION TANK. REPEAT THIS PROCESS THREE TIMES

**NATIONAL POISONING INFORMATION CENTRE  
(UZEM) : 114**

Net Amount :  
Max. Retail Sales Price :

#### HAZARD PROPERTY:

Xn:Harmful

#### HAZARD SYMBOLS:



Xn: Harmful

#### INGREDIENTS:

**Includes Milbemectin**

#### RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

**R10:** Flammable

**R20/21:** Harmful if inhaled or contact with skin.

**R38:** Irritant to skin.

#### SAFETY EXPRESSIONS:

**S2:** Keep locked up out of the reach of children

**S13:** Keep away from food, drink and animal feeding stuffs.

**S29:** Do not empty into drains

**S36/37:** Wear suitable clothes, protective clothes.

**S46:** Call a doctor immediately if swallowed and show the container or label.

**S64:** In case of swallowed, wash the mouth with water (if the patient is conscious)

#### MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

**INFORMATION ON RESISTANCE:**

The pesticide name **Dugary** is an acaricide classified as Group 6B in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Dugary** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group 6B).

**MISCIBILITY:**

It can be used in mixture with many agricultural chemicals, including strong alkali products like Bordeaux mixture and sulfur.

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.

**Emulsion Concentrate (EC)**

**Name & Amount of Active Ingredient:** 9.3 Milbemectin per Liter

5-chloro-N-(2-+4-(2-ethoxyethyl)-2,3-dimethylphenoxy)ethyl)ethylpyrimidine-4-amine

<b>GROUP</b>	<b>6B</b>	<b>ACARICIDE</b>
--------------	-----------	------------------

**SYMPTOMS OF POISONING:**

It has no characteristic poisoning symptoms

**FIRST AID MEASURES:**

Take the patient away from the contaminated area. Take off the contaminated clothes. In case of contact with skin, wash with plenty of water and soap. In case of contact with eye, rinse the eye with water for 15 minutes. If hard to breathe, apply artificial respiration. Lay the patient with head turning laterally and keep warm. Call a doctor or take the patient to the doctor with package or label. The doctor can decide whether the pesticide is removed from the stomach.

**ANTIDOTE AND NECESSARY INFORMATION:**

There is no special antidote. The treatment is performed as per the symptoms.

NATIONAL POISONING INFORMATION CENTRE  
(UZEM) : 114

**HANDLING AND STORAGE CONSIDERATIONS:**

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for bees. Do not use during florescence
- Toxic for fish. Avoid contaminating above- and underground waters.
- It is resistant to rains
- It is recommended to perform covering disinfection.

**STORAGE CONDITIONS:**

In its original package store it closed , away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical, chemical or chemical changes outside the tolerance limits for 2 years.

**DISCLAIMER:**

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. User endures damage risk which can occur because of factors out of manufacturer control. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

**MANUFACTURING AND PERMIT HOLDING COMPANY:**

**AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.**

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

--	--	--