

Manufacture Date :
Expiration Date :
Charge No :
Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE & TIME PERIOD	TIME BETWEEN FINAL APPLICATION & HARVEST
CHERRY	Cherry fly (<i>Rhagoletis cerasi</i>)	500 ml/100 L water, Adult	3 days

METHOD OF APPLICATION:

Preparation:

Fill the applicator with water to the half point. Measure necessary amount product with the graduated measure, start the tank mixer of applicator and add the product. Keep the mixer running and add the rest of necessary water.

Application:

Please make sure to ensure full and homogenous coverage of all plant structures.

Cherry fly control application should be performed in one week following the date when first adults are captured in visual yellow sticky traps.

INFORMATION ON RESISTANCE:

The pesticide name **Rumble** is an insecticide classifies as Group UN in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Rumble** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group UN).

MISCIBILITY:

It can be mixed with other insecticides and fungicides, excluding Bordeaux mixture.

Signature and Stamp
Dr. Yunus Bayram
Department Chief

19 December 2014
Signature

MINISTRY OF FOOD AGRICULTURE AND LIVESTOCK
GENERAL DIRECTORATE OF FOOD AND CONTROL
ACCEPTED

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI



RUMBLE

Emulsion Concentrate (EC)

Name & Amount of Active Ingredient: 10 grams

Azadiractin A in Liter

Dimethyl (3S,3aR,4S,5S,5aR,5a1R,7aS,8R,10S,10aS)-8-acetoxy-3,3a,4,5,5a,5a1,7a,8,9,10-decahydro-3,5-dihydroxy-4-{{(1S,3S,7S,8R,9S,11R)-7-hydroxy-9-methyl-2,4,10-trioxatetracyclo[6.3.1.03,7.09,11]dodec-5-en-11-yl}-4-methyl-10[(E)-2-methylbut-2-enyloxy]-1H,7H-naphtho[1,8a,8-bc:4,4a-c']difuran-3,7a-dicarboxylate

GROUP	UN	ORGANIC INSECTICIDE-ACARICIDE
-------	----	-------------------------------

FIRSTLY READ THE LABEL.

DO NOT USE AT HOME.

KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.

DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.

PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.

DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.

DO NOT ALLOW HUMAN AND ANIMAL TO ENTRY INTO PESTICIDE TREATED AREAS UNTIL THE APPLICATION ENDS.

PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.

IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.

SHAKE WELL AFTER ADDING CLEAN WATER TO EMPTY CONTAINER OF PESTICIDE WITH THE RATE OF 1/4. POUR THE SHAKEN WATER INTO DISINFECTION TANK. REPEAT THIS PROCESS THREE TIMES

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Net Amount :
Max. Retail Sales Price :

HAZARD SYMBOLS AND EXPLANATION:



Xn: HARMFUL

INGREDIENTS:

Azadiractin A

RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

R20: Harmful if inhaled.

SAFETY EXPRESSIONS:

S2: Keep out of the reach of children

S13: Keep away from food, drink and animal feeding stuffs.

S46: Call a doctor immediately if swallowed and show the container or label.

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)



RUMBLE

Emulsion Concentrate (EC)

Name & Amount of Active Ingredient: 10 grams
Azadiractin A in Liter

Dimethyl (3S,3aR,4S,5S,5aR,5a1R,7aS,8R,10S,10aS)-8-acetoxy-3,3a,4,5,5a,5a1,7a,8,9,10-decahydro-3,5-dihydroxy-4-{{(1S,3S,7S,8R,9S,11R)-7-hydroxy-9-methyl-2,4,10-trioxatetracyclo[6.3.1.03,7.09,11]dodec-5-en-11-yl}-4-methyl-10[(E)-2-methylbut-2-enyloxy]-1H,7H-naphtho[1,8a,8-bc:4,4a-c']difuran-3,7a-dicarboxylate

GROUP	UN	ORGANIC INSECTICIDE- ACARICIDE
--------------	-----------	---

SYMPTOMS OF POISONING:

Headache, nausea and weakness

FIRST AID MEASURES:

Call a doctor and show the label of the pesticide. If swallowed, induce vomiting. If contaminating skin, wash with plenty of water and soap. If contaminating eyes, wash for 15 minutes with plenty of water. In case of inhaled intensively, take him/her to the fresh air.

ANTIDOTE AND NECESSARY INFORMATION:

There is no special antidote. The treatment is performed as per the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Signature and Stamp
Dr. Yunus Bayram
Department Chief

19 December 2014
Signature

MINISTRY OF FOOD AGRICULTURE AND LIVESTOCK
GENERAL DIRECTORATE OF FOOD AND CONTROL
ACCEPTED

HANDLING AND STORAGE CONSIDERATIONS:

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Do not contaminate pools, rivers and water ways with pesticide and empty packaging.

STORAGE CONDITIONS:

In its original package store it closed, away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical, chemical or chemical changes outside the tolerance limits for 2 years.

DISCLAIMER

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURING AND PERMIT HOLDING COMPANY:
AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.
Bekir Saydam Cad. No: 31
Pancar, Torbali, Izmir
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)