

Manufacture Date :  
 Expiration Date :  
 Batch No :  
 Registration Date & Number :

**TARGETED PLANTS AND PESTS**

PLANT NAME	PEST NAME	DOSAGE & STAGE	LAST APPLICATION-HARVEST INTERVAL
Tomato	Damping-off ( <i>Fusarium spp. Pythium spp.</i> )	150 ml/ 100 L water (3liters/m <sup>2</sup> solution)	7 days
Tobacco	Damping-off ( <i>Fusarium spp. Pythium spp.</i> )	200 ml/ 100 L water (3liters/m <sup>2</sup> solution)	-
Cucumber	Damping-off ( <i>Fusarium spp. Pythium spp.</i> )	300 ml/ 100 L water (3liters/m <sup>2</sup> solution)	7 days
Pepper (greenhouse)	Soil based disease factors ( <i>Rhizoctonia solani, Fusarium spp.</i> )	500 ml/ da (With drip irrigation )	3 days

**METHOD OF USE:**

**Preparation of Pesticide for Application:**

Enough quantity of pesticide is mixed with a little amount of water in a suitable container. It's added into a mixing container whose 2/3 is full. Then the tank is completed with water and supplied for application after being mixed.

**Application form:**

Just after the seeds are planted, it's applied on the soil by a strainer bucket or an atomizer as 3 liters of water is placed on m<sup>2</sup>.

**By drip irrigation for pepper:** The pesticide quantity calculated per decar is given to the soil by drip irrigation unit for 10 minutes.

1. disinfection after planting

2. disinfection is performed after 2 weeks from the first disinfection.

**Dr.NEVZAT BIRISIK**

**General Manager Deputy**

**STAMP AND SIGNATURE**

**Continued on page 2.**

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



**Solution Concentrate (SC)**

**Name & Amount of Active Ingredient:** 360g Hymexazol 5-methylisoxazol-3-ol in liter

GROUP	32,A3	FUNGICIDE
-------	-------	-----------

PLEASE READ THE LABEL FIRST.  
 DO NOT USE AT HOME.  
 KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.  
 DO NOT INHALE VAPORS OF PESTICIDE.  
 PLEASE USE MASK, PROTECTIVE CLOTHING, GLOVES AND GLASSES.  
 DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.  
 DO NOT PERMIT HUMAN AND ANIMAL ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY.  
 PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.  
 IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.  
 PUT CLEAN WATER UNTIL ¼ OF THE EMPTY CONTAINER OF THE PESTICIDE AND FLUCTUATE. DISPOSE THE FLUCTUATED WATER INTO PESTICIDE TANK. REPEAT THIS OPERATION FOR THREE TIMES.

**NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114**

MINISTRY OF  
 FOOD, AGRICULTURE AND ANIMAL FARMING  
 GENERAL DIRECTORATE OF FOOD and CONTROL  
 APPROVED

MINISTRY OF FOOD, AGRUCULTURE AND LIVESTOCK  
 GENERAL DIRECTORATE OF FOOD AND CONTROL  
 ACCEPTED  
 15 APRIL 2013

Net Amount :  
 Max. Retail Sales Price :

**HAZARD TYPES:**

C: Corrosive N: DANGEROUS FOR THE ENVIRONMENT

**HAZARD SYMBOLS:**



C: Corrosive N: DANGEROUS FOR THE ENVIRONMENT

**INGREDIENTS:**

Contains Hymexazol

**RISK EXPRESSIONS AND DETAILS**

**R22:** Harmful if swallowed.

**R35:** Causes significant burns.

**R41:** Significant damage risk for eyes.

**R52/53:** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**SAFETY EXPRESSION AND DETAILS:**

S1/2: Keep locked and away from children.

S13: Keep away from food, drink and animal feed.

S25: Prevent from eye contact.

S26: Wash with plenty of water in case of contact with skin and call a doctor.

S 27/28: In case of contact with skin, remove the contaminated clothes immediately and wash with plenty of water.

S 29: Do not spill in sewage system.

S 36/37/39: Wear appropriate protective clothes, gloves and glass/mask.

S45: Call a doctor if you feel bad or in case of accident.

S:46: If swallowed, call a doctor. Show the container or label

S 56: Dispose of this material and its container dangerous or special waste collection areas

S64: In case of swallow, wash the mouth with water (If the patient is conscious)

**MANUFACTURING AND PERMIT HOLDING COMPANY:**

**AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.**

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir, TURKEY

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)

**INFORMATION ON RESISTANCE:**

The pesticide name **Pirisect** is a fungicide classified as Group 32,A3 in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Pirisect** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (other than Group 32,A3).

**MISCIBILITY:**

The chemical modifications of carbofuran may be mixed with common insecticides excluding benfurocarb, carbosulfan and furathiocarb composed pesticides.

**Dr.NEVZAT BIRISIK**  
**General Manager Deputy**  
**STAMP AND SIGNATURE**

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



Solution Concentrate (SC)

**Name & Amount of Active Ingredient:** 360g Hymexazol 5-methylisoxazol-3-ol in liter

GROUP	32,A3	FUNGICIDE
-------	-------	-----------

**SYMPTOMS OF POISONING:**

Not known since no poisoning case has been observed so far in production and applications.

**FIRST AID MEASURES:**

In case of poisoning, take the first aid measures stated below. Contact a doctor, and show the container and label of the product to the doctor. Remove the patient from pesticide area. Remove all the clothes contaminated with pesticide and any body parts which came into contact with the product should be rinsed using soap and plenty of water. Keep the patient in a quiet place

**ANTIDOTE AND IMPORTANT INFORMATION:**

There is no special antidote, applied treatment according to symptoms.

MINISTRY OF  
 FOOD, AGRICULTURE AND ANIMAL FARMING  
 GENERAL DIRECTORATE OF FOOD AND CONTROL  
 APPROVED

MINISTRY OF FOOD, AGRUCULTURE AND LIVESTOCK  
 GENERAL DIRECTORATE OF FOOD AND CONTROL  
 ACCEPTED  
 15 APRIL 2013

**HANDLING AND STORAGE CONSIDERATIONS:**

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for bees.
- Do not use in blossom period.
- Toxic for fish.
- Avoid contaminating above- and underground waters.

**STORAGE CONDITIONS:**

When stored under normal (cool and dry) conditions in its original closed package, the product will not experience any physical, chemical or chemical changes outside the tolerance limits for 2 years.

**DISCLAIMER:**

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

**MANUFACTURING AND PERMIT HOLDING COMPANY:**  
**AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.**

Bekir Saydam Cad. No: 31  
 Pancar, Torbali, Izmir, TURKEY  
 Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)