

Manufacture Date :
Expiration Date :
Charge No :
Permit Date & Number :

TARGETED PLANTS AND PESTS

| PLANT NAME | PEST NAME | DOSAGE & TIME PERIOD | TIME BETWEEN FINAL APPLICATION & HARVEST |
|------------|---|----------------------|--|
| Sugar beet | Cercospora leaf-spot disease (<i>Cercospora beticola</i>) | On 50 ml | 28 days |
| Wheat | Rust (<i>Puccinia</i> spp.) | On 60 ml | 35 days |
| | Mildew (<i>Erysiphe graminis</i> f.sp. <i>tritici</i>) | | |
| | Septoria leaf-spot (<i>Septoria tritici</i>) | | |

METHOD OF APPLICATION AND ITS FEATURES:

It is a fungicide having systemic features as treater and protective. It enters into the plant immediately after disinfestation and it is conveyed into other parts and it does not affected by rains which will be rain later. It provides a good-one residual protection.

The usage :

The preparation of drug for implementation: the store of tool is filled with water as half. It should be shaken without opening the cover of box and the required amount of drug is conveyed into the store of tool by mixing with a little amount of water into the separated container. The water is added until the store of tool will filled with water by working of tool's mixing equipment.

The execution time:

The spotting on old leaves of **sugar beets** reach as 5% limit, it should be started and goes on with the 15-20 days intervals.

Wheat rust: it starts when the first indications are seen and second is done after 21- 28 days of 1. One. If there is epidemic situation third one should be done.

The mildew of wheat and and septoria leaf-spot: it should be started when the first indication of it is seen.

Continued on Page 2

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



FENAMID 50 SC

Suspension Concentrate (SC)

Name & Amount of Active Ingredient:

Epoxiconazole+thiophanate -
methyl 187+310 g/L
(2RS,3SR)-1-[3-(2-CHLOROPHENYL)-2,3epoxy-2-(4-fluorophenyl)propyl]-1H-1,2,4-triazole+ dimethyl 4,4'-(o-phenylene)bis(3-thioallophanate)

| GROUP | G1-B1 | FUNGICIDE |
|-------|-------|-----------|
|-------|-------|-----------|

FIRSTLY READ THE LABEL.

DO NOT USE AT HOME.

KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.

DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.

PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.

DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.

DO NOT ALLOW HUMAN AND ANIMAT TO ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY

PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.

IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.

SHAKE WELL AFTER ADDING CLEAN WATER TO EMPTY CONTAINER OF PESTICIDE WITH THE RATE OF 1/4. POUR THE SHAKEN WATER INTO DISINFESTATION TANK. REPEAT THIS PROCESS THREE TIMES

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Net Amount :
Max. Retail Sales Price :

HAZARD PROPERTY:

Xn: HARMFUL N: DANGEROUS FOR THE ENVIRONMENT

HAZARD SYMBOLS AND EXPLANATION:



Xn: HARMFUL N: DANGEROUS FOR THE ENVIRONMENT

INGREDIENTS:

Including Epoxiconazole and Thiophanate methyl

RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

R20: Harmful by inhalation

R40: Limited evidence of a carcinogenic effect

R43: May cause sensitisation by skin contact.

R50/53: Very toxic to aquatic organisms, may cause adverse effects longtime in aquatic environment

R62: Possible risk of impaired fertility

R63: Possible risk of harm to the unborn child

R68: Possible risk of irreversible effects

SAFETY EXPRESSIONS:

S1/2: Keep locked up and keep out of the reach of children

S13: Keep away from food, drink and animal feeding stuffs.

R24: Avoid contact with skin

S29: Do not empty into drains

S36: Wear suitable protective clothing

S37: Wear suitable protective clothes.

S46: Call a doctor immediately if swallowed and show the container or label.

S56: Dispose of this material and its container at hazardous or special waste collection point.

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

INFORMATION ON RESISTANCE:

The pesticide name **Fenamid 50 SC** is a fungicide classifies as Group G1-B1 in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Fenamid 50 SC** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group G1-B1).

MISCIBILITY:

If a mixture is prepared, pre-mixture test should be performed in a separate container. It is recommended to use the mixture immediately.

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



FENAMİD 50 SC

Suspension Concentrate (SC)

Name & Amount of Active Ingredient:

Epoxiconazole+thiophanate -
methyl 187+310 g/L
(2RS,3SR)-1-[3-(2-CHLOROPHENYL)-2,3epoxy-2-
(4-fluorophenyl)propyl]-1H-1,2,4-triazole+ dimethyl
4,4'-(o-phenylene)bis(3-thioallophanate)

| | | |
|--------------|--------------|------------------|
| GROUP | G1-B1 | FUNGICIDE |
|--------------|--------------|------------------|

SYMPTOMS OF POISONING:

Headache, nausea, weakness, eye and skin irritation.

FIRST AID MEASURES:

Take off the contaminated clothes if contaminated to skin. The contact areas of the body should be washed with plenty of water and soap. In case of contact with eye, rinse the eye with water for 15 minutes. If the pesticide is swallowed, mouth should be washed with plenty of water and plenty of water should be drunk. Call a doctor in case of poisoning and show the pesticide labels.

ANTIDOTE AND NECESSARY INFORMATION:

There is no special antidote. The treatment is performed as per the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

HANDLING AND STORAGE CONSIDERATIONS:

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for fish
- Avoid contaminating above and underground waters.

STORAGE CONDITIONS:

In its original package store it closed , away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical and chemical changes for 2 years.

DISCLAIMER

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURING AND PERMIT HOLDING COMPANY:
AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.
Bekir Saydam Cad. No: 31
Pancar, Torbali, Izmir
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79