

Manufacture Date :  
Expiration Date :  
Charge No :  
Permit Date & Number :

#### TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE	TIME BETWEEN FINAL APPLICATION & HARVEST
APPLE	The smutch ( <i>Venturia inaequalis</i> )	100 L.water/ 15 ml	14 Days
THE VINEYARD	The mildew ( <i>Unciluna necator</i> )	100 l.water/ 7.5 ml	14 Days
THE PEPPER (greenhouse)	The mildew ( <i>Leveillula taurica</i> )	100 L water/ 30 ml	3 Days

#### Feature:

**Brust** is a systemic effective drug having features as protective and preventive Raining does not affect the effect of drug. 2 hours later After the implementation of **Brust** To get the highest effect with **Brust** a good covering disinfestation should be cared.

#### APPLICATION:

##### The preparation of drug for implementation:

The store of tool of disinfestation is filled with water as half. The amount of drug being necessary for the store is conveyed into the tool's store by being brought as pre-mixing wsth an amount of water into the separated container. Then, the mixture of tool is worked and the store is completed with water. use the prepared product with drug in the same day.

##### The execution time:

##### Against the smutch on apple:

1. disinfestation is done when the flower's buds swell ,
2. disinfestation is done at the period of pink rosette
3. disinfestation should be done when the flower's petals pour as 70-80 % of it.

The execution frequency is done with 10-14 days intervals according to weather conditions and the process of disease

##### Against the mildew on vineyard:

1. disinfestation is done before the flowers and when the suckers reach 25-30 cm
2. disinfestation is done when the flowers petals pour and when sour grapes reach the grain lengths.
3. and other disinfestation are done with 10-14 days intervals according to the process of disease and the weather conditions

AGRI SCIENCES Tarım ve İlaç Ür. San. Ve Tic. Ltd. Şti.



Emulsion Concentrate (EC)

Name & Amount of Active Ingredient: 245 g  
Myclobutanil in Liter

2-p-chlorophenyl-2- (1H-1,2,4triazol-1-ylmethyl)hexanenitrile;2-(4-chlorophenyl)-2-(1H-1,2,4-triazol-1-ylmethyl) hexanenitrile

GROUP	3;G1	FUNGICIDE
-------	------	-----------

FIRSTLY READ THE LABEL.

DO NOT USE AT HOME.

KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.

DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.

PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.

DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.

DO NOT ALLOW HUMAN AND ANIMAT TO ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY

PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.

**IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.**

SHAKE WELL AFTER ADDING CLEAN WATER TO EMPTY CONTAINER OF PESTICIDE WITH THE RATE OF 1/4. POUR THE SHAKEN WATER INTO DISINFECTION TANK. REPEAT THIS PROCESS THREE TIMES

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Net Amount :  
Max. Retail Sales Price :

#### HAZARD SYMBOLS AND EXPLANATION:



Xn: HARMFUL



N: DANGEROUS FOR THE ENVIRONMENT

#### INGREDIENTS:

Includes Myclobutanil, M Pyrol and Solvesso 100

#### RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

**R10:** Flammable

**R20/21:** Harmful if inhaled or contact with skin.

**R22:** Harmful if swallowed.

**R36/37/38:** Irritating to eyes, respiratory system and skin.

**R52/53:** Toxic for aquatic organisms, may cause adverse effects longtime in aquatic environment

**R61:** May cause harm to the unborn child.

**R67:** Vapours may cause drowsiness and dizziness.

#### SAFETY EXPRESSIONS:

**S1/2:** Keep locked up and out of the reach of children

**S13:** Keep away from food, drink and animal feeding stuffs.

**S 25:** Avoid contact with eyes

**S 26:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

**S29:** Do not empty into drains.

**S36/37/39:**Wear suitable protective clothing, gloves and eye/face protection.

#### MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

**Against the mildew on pepper:**

when the first indications of disease is seen the disinfestation is started and it is repeated with 10-14 days intervals according to the process of the disease.

**INFORMATION ON RESISTANCE:**

The pesticide name **Brust** is a fungicide classifies as Group 3;G1 in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Brust** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group 3;G1).

**MISCIBILITY**

**Brist** can be mixed with the pesticides out of strong alkali ones.

AGRI SCIENCES Tarım ve İlaç Ür. San. Ve Tic. Ltd. Şti.



**Emulsion Concentrate (EC)**

**Name & Amount of Active Ingredient:** 245 g  
Myclobutanil in Liter

2-p-chlorophenyl-2- (1H-1,2,4-triazol-1-ylmethyl)hexanenitrile;2-(4-chlorophenyl)-2-(1H-1,2,4-triazol-1-ylmethyl) hexanenitrile

<b>GROUP</b>	<b>3;G1</b>	<b>FUNGICIDE</b>
--------------	-------------	------------------

**SYMPTOMS OF POISONING:**

Although the symptoms of poisoning are unknown, it is recommended to pay attention to the general protection warnings

**FIRST AID MEASURES:**

Keep the patient away from the contaminated environment, take off the contaminated clothes. If the patient can't breathe, apply artificial respiration. If it comes contact with skin, wash with plenty of soap and water.

If it comes to contact with the eyes, wash the eyes for at least 15 minutes with plenty of water and soap, consult the doctor if needed. If the patient is unconscious, do not give anything orally. Show the packaging and label to the doctor.

**ANTIDOTE AND NECESSARY INFORMATION:**

There is no special antidote. The treatment is performed as per the symptoms.

**NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114**

**HANDLING AND STORAGE CONSIDERATIONS:**

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for fish
- Avoid contaminating above and underground waters.

**STORAGE CONDITIONS:**

In its original package store it closed , away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical and chemical changes for 2 years.

**DISCLAIMER**

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

**MANUFACTURING AND PERMIT HOLDING COMPANY:**

**AGRI SCIENCES Tarım ve İlaç Ür. San. ve Tic. Ltd. Şti.**  
Bekir Saydam Cad. No:31 Pancar,Torbalı-İZMİR  
Tel: 0232 864 13 33 Fax: 0232 864 16 79

--	--	--