

DEXTEROUS

Suspension Concentrate

Name and Amount of active ingredient: 500 g/L Fenhexamid
2',3'-dichloro-4'-hydroxy-1-methylcyclohexanecarboxanilide
Group: 17; G3, FUNGICIDE

READ THE LABEL BEFORE

DO NOT USE HOME

KEEP AWAY FROM CHILDREN, FOOD AND ANIMAL FOOD.

DO NOT BREATHE STEAM AND / OR PARTICLES

USE MASK, PROTECTIVE CLOTHING, GLOVES AND GLASSES

DO NOT EAT, DRINK OR SMOKE DURING THE APPLICATION

HUMAN AND ANIMAL ACCESS INTO THE AREA SPRAYED IS PROHIBITED FOR TWO HOURS

TO PREVENT RISKS ON HUMAN AND ENVIRONMENTAL HEALTH FOLLOW INSTRUCTION MANUAL.

RECOMMENDED PRODUCTS OUT OF THE USE PROHIBITED.

Toxication Symptoms: No specific toxication symptom has been detected.

FIRST AID MEASURES:

Take the patient away from the sprayed area. Seek medical advice.

Antidote: No specific antidote, symptomatic treatment is followed.

PLANT	PEST	DOSE OF USE	TIME BETWEEN LAST SPRAYING AND HARVEST
Tomato	Botrytis cinerea	100 ml/100 L water	7 days
Grape	Botrytis cinerea	100 ml/100 L water	7 days
Strawberry	Botrytis cinerea	100 ml/100 L water	3 days

HOW TO USE:

Preparing:

The necessary amount of product is mixed with water in a tank then put into the spraying the half of which is already filled with water. The necessary amount of water is added while stirring. This mixture is applied when the weather is cool and still.

tomato: Spraying is started by the time the primal symptoms are observed.

Grape: Spraying is started by the time water begins to reach the grains. Repeated every 10-15 days according to the development of the disease. The spraying is made directly to the clusters. Especially the parts where the grains are so close to each other and the grains that suffer from cluster moth must be well sprayed.

Strawberry: Might be used at flowering stage.

1st spraying; by the time 10% of the flowers blossom

2nd spraying; by the time 50% of the flowers blossom

3rd spraying at green fruit stage

SHAKE WELL BEFORE USE

HAZARD FEATURE:

N: DANGEROUS FOR THE ENVIRONMENT

CONTAINS FENHEXAMID

RISK PHRASES:

R51: Very toxic to aquatic organisms.

R53: May cause long term negative effects in aquatic environments.

SAFETY PHRASES:

S1 / 2: Keep locked up and out of the reach of children.

S13:Keep away from food, beverages and animal feeding stuffs.

S29: Do not empty into drains.

S 36/37/39: Wear suitable protective clothing, protective gloves and eye / face protection.

S56: This material and its package must be disposed at hazardous or special waste collection point.

S61: Avoid release into environment. Follow the special instructions of use and Safety Information sheet.

PRODUCER AND LICENSING COMPANY OWNER

AGRI SCIENCES Tarım ve İlaç Ür. San. ve Tic. Ltd. Şti.

Bekir Saydam Cad. No:31 Pancar,Torbalı-İZMİR

Tel: 0232 864 13 33 Fax: 0232 864 16 79

INFORMATION ON IMMUNITY:

Dexterous plant protection product has been classified in Group 17; G3 fungicide according to the mode of action. Repeated applications of plant protection products with the same mechanism of action, promotes the development of resistance. For this reason, to delay development of resistance, in the same growing season do not exceed the recommended total number of applications. Repeat the application if required, with a different mechanism of action (other than Group 17;G3).

Miscibility :

Could be mixed with WP formulations. Pre-trial is needed for other formulations. Cannot be mixed with highly acidic and basic formulations.

STORING CONSIDERATIONS :

- * Keep the plant protection product in a closed container.
- * Dispose empty packages properly.
- * Never use empty packages for any other purpose.
- * Do not refill empty food and beverage packages with plant protection products.
- * Toxic to fish.
- * Avoid infecting the underground and surface water.

STORAGE CONDITION:

Keep in its original package, tightly closed, away from the food, at a cool, and dry place, out of reach of children and animals, under lock. From date of manufacture, if stored in original package, unopened, in a cool, dry condition, keeps its physical and chemical properties for at least 2 years.

COMPANY STATEMENT:

The manufacturer guarantees the quality of the product, provided that it is sold in manufacturer's original package. Damage which may occur beyond the control the manufacturer is at user's risk. Manufacturer is not responsible for any damage arising from improper storage conditions, or use of the product in wrong doses or at wrong times.

PRODUCER AND LICENSING COMPANY OWNER:
AGRI SCIENCES Tarım ve İlaç Ür. San. ve Tic. Ltd. Şti.
Bekir Saydam Cad. No:31 Pancar,Torbalı-İZMİR
Tel: 0232 864 13 33 Fax: 0232 864 16 79