

Manufacture Date :
Expiration Date :
Charge No :
Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE	TIME BETWEEN FINAL APPLICATION & HARVEST
TOMATO	Powdery mildew (<i>Leveillula taurica</i>)	400ml/100 L water	7 Days
VINEYARD	Powdery mildew (<i>Uncinula necator</i>)	400ml/ 100L water	7 Days

APPLICATION:

The preparation of pesticide for implementation:

The store of tool of disinfestation is filled with water as half. The amount of drug being necessary for the store is conveyed into the tool's store by being brought as pre-mixing with an amount of water into the separate container. Then, the mixture of tool is worked and the store is completed with water. Continue to run the mixer during the disinfestation.

The execution time: The disinfestation should be made in a windless day. Attention should be paid for the leaves to be wet but the pesticide should be prevented from dripping. The bunches in the vineyard must be disinfested thoroughly.

Against Powdery Mildew on Tomato: The disinfestation is done when the infection symptoms are first seen. If the climate goes suitable for the infection, the disinfestation is applied with 7-10 day breaks

Against Powdery Mildew on Vineyards:

1st Disinfestation; before florescence when the offshoots reach 25-30 cm size. 2nd disinfestation: when the cap falls completely and the unripe grapes reach pellet size, 3rd and other disinfestations are done according to the climate conditions and continued for 10 days until the water is carried over the grains

19 June 2015

MINISTRY OF FOOD AGRICULTURE AND LIVESTOCK
GENERAL DIRECTORATE OF FOOD AND CONTROL
ACCEPTED

(Signature)

AGRI SCIENCES Tarım ve İlaç Ür. San. Ve Tic. Ltd. Şti.



AGRIFLOW

Suspension Concentrate (SC)

Name & Amount of Active Ingredient: 800 g Sulphur

GROUP	M2	FUNGICIDE
-------	----	-----------

FIRSTLY READ THE LABEL.

DO NOT USE AT HOME.

KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.

DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.

PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.

DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.

DO NOT ALLOW HUMAN AND ANIMAL TO ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY

PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.

IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.

SHAKE WELL AFTER ADDING CLEAN WATER TO EMPTY CONTAINER OF PESTICIDE WITH THE RATE OF 1/4. POUR THE SHAKEN WATER INTO DISINFESTION TANK. REPEAT THIS PROCESS THREE TIMES

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

(Stamp)

AGRI SCIENCES Tarım ve İlaç Ür. San. Ve Tic. Ltd. Şti.

Net Amount :
Max. Retail Sales Price :

HAZARDS PROPERTY:

Xn: HARMFUL N: DANGEROUS FOR THE ENVIRONMENT

HAZARD SYMBOLS AND EXPLANATION:



Xn: HARMFUL

INGREDIENTS:

Includes Sulphure

RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

R38: Irritating to skin.

SAFETY EXPRESSIONS:

S1/2: Keep locked up and out of the reach of children

S13: Keep away from food, drink and animal feeding stuffs.

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.

S46: If swallowed, seek medical advice immediately and show this container or label

S64: If swallowed, rinse mouth with water (only if the person is conscious)

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

INFORMATION ON RESISTANCE:

The pesticide name **Agriflow** is a protective fungicide classifies as Group M2 in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms causes development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Agriflow** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group M2).

MISCIBILITY

It can be mixed with many pesticides except oil or pesticides containing oil. However it is better to try these mixtures by preparing a premix.



Suspension Concentrate (SC)

Name & Amount of Active Ingredient: 800 g Sulphur

GROUP	M2	FUNGICIDE
-------	----	-----------

SYMPTOMS OF POISONING:

There are not any specific symptoms.

FIRST AID MEASURES:

Take the patient out to fresh air and take off the contaminated clothes. Wash the contaminated body parts with plenty of water and soap. If it comes into contact with the eye, rinse with clean water for at least 15 minutes. If swallowed, don't try to induce vomiting

ANTIDOTE AND NECESSARY INFORMATION:

There is no special antidote. The treatment is performed as per the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

(Stamp)

HANDLING AND STORAGE CONSIDERATIONS:

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for bees
- Do not use during fluorescence.
- Toxic for fish
- Avoid contaminating above and underground waters.

STORAGE CONDITIONS:

In its original package store it closed, away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical and chemical changes for 2 years.

DISCLAIMER

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES Tarım ve İlaç Ür. San. ve Tic. Ltd. Şti.
Bekir Saydam Cad. No:31 Pancar, Torbalı-İZMİR
Tel: 0232 864 13 33 Fax: 0232 864 16 79

AGRI SCIENCES
(Company Stamp)
Dr. Alanur HAS

--	--	--

--	--	--