

Manufacture Date :  
Expiration Date :  
Charge No :  
Permit Date & Number :

**Dynam**, is a plant growth regulator used on apple and pear trees. The indicated result can be achieved when the product is used in recommended dosages.

- In all apple and pear species fruits become larger, gain weight, reach standard form and size, and provide higher yield.
- More fruit bearing branches are formed, the form of trees becomes more refined, fruit eyes increase and fruit yield becomes higher.
- Regulates formation, increases fruit weight, and promotes formation of larger and better looking fruits.

#### TARGETED PLANTS AND PESTS

PLANT NAME	PLANT SPECIES	TARGET & PERIOD	DOSAGE
APPLE	Red species ( <i>Starking</i> etc.)	For larger and standard fruit; Single application when flowering is 60-80% complete	60-100 ml/100 L water
APPLE	Yellow species ( <i>Golden delicious</i> etc.)	For larger and standard fruit and thin skin. 1 <sup>st</sup> application at the time petal loss begins  2 <sup>nd</sup> application 7 days after the 1 <sup>st</sup>  3 <sup>rd</sup> application 10 days after the 2 <sup>nd</sup>	60-100 ml/100 L water 60-100 ml/100 L water 60-100 ml/100 L water
APPLE	Yellow species ( <i>Golden delicious</i> etc.)	Against rust: 1 <sup>st</sup> application at full flowering; 2 <sup>nd</sup> application at loss of petals; 3 <sup>rd</sup> application 10 days after the 2 <sup>nd</sup> .	70 ml/100 L water
APPLE	Young seedlings (All species)	One application in early spring on trees of 1-2-3 years of age in order to promote tree development, fruit bearing branch development and to increase fruit yield.	200 ml/100 L water
PEAR	William and other species	For larger, standard shaped and sized fruits; 1 <sup>st</sup> application at the time petal loss begins. 2 <sup>nd</sup> application 7-10 days after the 1 <sup>st</sup> .	60 ml/100 L water

Signature and Stamp  
Dr. Yunus Bayram

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



Soluble Concentrate (SL)

#### Name & Amount of Active Ingredient:

18.8 g/L 6-Benzyladenine+18.5 g/L Gibberellin A4A7 (3S,3aR,4S,4aR,7R,9aR,9bR,12s)-12 hydroxy-3-methyl-6-methylene-2-oxoperhydro-4a,7-methano-9b,3-propenoazuleno [1,2-b]furan-4-carboxylic acid & 6-benzyladenine+(3S3aR,4S,4aR,7R,9aR,9bR,12S)-12-hydroxy-3-methyl-6-methylene-2-oxoperhydro-4a,7-methano-3,9b-propanoazuleno [1,2-b] furan-4-carboxylic acid

GROUP	-	BGD
-------	---	-----

FIRSTLY READ THE LABEL.

DO NOT USE AT HOME.

KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.

DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.

PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.

DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.

DO NOT ALLOW HUMAN AND ANIMAL TO ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY

PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.

**IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.**

SHAKE WELL AFTER ADDING CLEAN WATER TO EMPTY CONTAINER OF PESTICIDE WITH THE RATE OF 1/4. POUR THE SHAKEN WATER INTO DISINFECTION TANK. REPEAT THIS PROCESS THREE TIMES

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114  
MINISTRY OF FOOD AGRICULTURE AND LIVESTOCK  
GENERAL DIRECTORATE OF FOOD AND CONTROL  
ACCEPTED

Net Amount :  
Max. Retail Sales Price :

#### HAZARD PROPERTIES:

**Xi: Irritant**

#### HAZARD SYMBOLS:



Xi: Irritant

#### INGREDIENTS:

**Includes Gibberellin A4 A7 and Benzladedine**

#### RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

**R36/38:** Irritating to eyes and skin

#### SAFETY EXPRESSIONS:

**S1/2:** Keep locked up and out of the reach of children

**S25:** Avoid contact with eyes

**S26:** In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

**S37:** Wear suitable gloves

**S46:** Call a doctor immediately if swallowed and show the container or label.

**S64:** In case of swallowed, wash the mouth with water (if the patient is conscious)

#### MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)

**METHOD OF APPLICATION:****Preparation:**

Fill the applicator tank with water to the half point. Mix recommended dosage of **Dynam** with a small amount of water in a separate container and pour this into the tank. Keep tank mixer running and add the rest of water into the tank. To ensure best results spray to ensure full coverage.

**MISCIBILITY:**

It is recommended to use independently. If it is mixed with chemicals in a tank, our company is not responsible for the occurred results.

**Signature and Stamp**

**Dr. Yunus Bayram**

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.

**Soluble Concentrate (SL)****Name & Amount of Active Ingredient:**

18.8 g/L 6-Benzyladenine+18.5 g/L Gibberellin A4A7 (3S,3aR,4S,4aR,7R,9aR,9bR,12s)-12 hydroxy-3-methyl-6-methylene-2-oxoperhydro-4a,7-methano-9b,3-propenoazuleno [1,2-b]furan-4-carboxylic acid & 6-benzyladenine+(3S3aR,4S,4aR,7R,9aR,9bR,12S)-12-hydroxy-3-methyl-6-methylene-2-oxoperhydro-4a,7-methano-3,9b-propanoazuleno [1,2-b] furan-4-carboxylic acid

<b>GROUP</b>	-	<b>BGD</b>
--------------	---	------------

**SYMPTOMS OF POISONING:**

The product is not toxic. No poisoning case has been experienced.

**FIRST AID MEASURES:**

May be harmful if swallowed, consult the doctor in that case. In case of contact with eyes wash with plenty of soap and water. Wash the contaminated body parts with plenty of soap and water.

**ANTIDOTE AND NECESSARY INFORMATION:**

There is no special antidote. The treatment is performed as per the symptoms.

**NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114**

10 February 2015

MINISTRY OF FOOD AGRICULTURE AND LIVESTOCK  
GENERAL DIRECTORATE OF FOOD AND CONTROL  
ACCEPTED

**HANDLING AND STORAGE CONSIDERATIONS:**

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- The product is not phytotoxic when used in accord with the recommendations.
- The effect of **Dynam** might be decreased in case of rainfall in 6 hours of application.
- For best effect pH of application water should be between 5 & 7.

**STORAGE CONDITIONS:**

In its original package store it closed, away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical, chemical or chemical changes outside the tolerance limits for 2 years.

**DISCLAIMER:**

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

(Company Stamp & Signature)