

Manufacture Date :
 Expiration Date :
 Charge No :
 Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE & TIME PERIOD
LENTIL	Wild oat (<i>Avena</i> spp.)	100 ml/da
	Foxtail (<i>Alopecurus myosuroides</i>) Darnel (<i>Lolium temulentum</i>)	When weeds are in 2-3 leaved stage
SUGAR BEET	Wild oat (<i>Avena</i> spp.)	100 ml/da
	Foxtail (<i>Alopecurus myosuroides</i>)	When weeds are in 2-3 leaved stage
	Darnel (<i>Lolium temulentum</i>)	
	Barnyard grass (<i>Echinochloa crus-galli</i>) Green foxtail (<i>Setaria viridis</i>)	
COTTON	Barnyard grass (<i>Echinochloa crus-galli</i>)	100 ml/da
	Large crabgrass (<i>D. sanguinalis</i>)	When weeds are in 2-3 leaved stage
	Bristly foxtail (<i>S.verticillata</i>)	
	Johnsongrass (<i>Sorghum halepense</i>)	150 ml/da
ONION	Bermuda Grass (<i>C. dactylon</i>)	250 ml/da
		When weeds reach 10-20 cm in height
	Wild oat (<i>Avena</i> spp.)	100 ml/da
	Stiff lomatium (<i>L. rigidum</i>)	When weeds are in 2-3 leaved stage
	Shortspike canarygrass (<i>P. brachystachys</i>)	
	Hood canarygrass (<i>P.paradoxa</i>)	
	Foxtail (<i>Alopecurus myosuroides</i>)	
	Darnel (<i>Echinochloa crus-galli</i>)	
	Hairy crabgrass (<i>D. sanguinalis</i>)	
	Yapışkan otu (<i>S. verticillate</i>)	
	Johnsongrass (<i>Sorghum halepense</i>)	150 ml/da
	Bermuda Grass (<i>C. dactylon</i>)	250 ml/da
		When weeds reach 10-20 cm in height

Signature and Stamp
 Dr. Yunus BAYRAM
 Department Chief


AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



TEMPAMET

Emulsion Concentrate (EC)

Name & Amount of Active Ingredient: 50 g
 tepraloxymim in Liter



GROUP	A	HERBICIDE
-------	---	-----------

FIRSTLY READ THE LABEL.
 DO NOT USE AT HOME.
 KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.
 DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.
 PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.
 DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.
 DO NOT ALLOW HUMAN AND ANIMAL TO ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY
 PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.
IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.
 SHAKE WELL AFTER ADDING CLEAN WATER TO EMPTY CONTAINER OF PESTICIDE WITH THE RATE OF 1/4. POUR THE SHAKEN WATER INTO DISINFECTION TANK. REPEAT THIS PROCESS THREE TIMES

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114
 12 January 2015
 Signature
 MINISTRY OF FOOD AGRICULTURE AND LIVESTOCK
 GENERAL DIRECTORATE OF FOOD AND CONTROL
 ACCEPTED

Net Amount :
 Max. Retail Sales Price :

HAZARD SYMBOLS AND EXPLANATIONS



Xn: HARMFUL



N: DANGEROUS FOR THE ENVIRONMENT

INGREDIENTS:

Tepraloxymim, cyclohexanone and xylene

RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

- R10:** Flammable
- R20/21:** Harmful if inhaled or contact with skin.
- R38:** Irritant to skin.
- R62:** Possible risk from decreasing productivity
- R63:** Possible risk to give harm on unborn child.
- R51/53:** Toxic for aquatic organisms, may cause adverse effects longtime in aquatic environment

SAFETY EXPRESSIONS:

- S2:** Keep out of the reach of children
- S9:** Store the container in a well-ventilated area.
- S13:** Keep away from food, drink and animal feeding stuffs.
- S29:** Do not empty into drains
- S36/37:** Wear suitable clothes, protective clothes.
- S46:** Call a doctor immediately if swallowed and show the container or label.
- S56:** Dispose of this material and container in collection places for dangerous or special wastes.
- S64:** In case of swallowed, wash the mouth with water (if the patient is conscious)

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.
 Bekir Saydam Cad. No: 31
 Pancar, Torbali, Izmir
 Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)



TEMPAMET

Emulsion Concentrate (EC)

Name & Amount of Active Ingredient: 50 g
tepraloxymidim in Liter

(EZ)-(RS)-2-{1-[(2E)-3-chloroallyloxyimino]propyl}-
3-hydroxy-5-perhydropyran-4-ylcyclohex-2-en-1-one

GROUP	A	HERBICIDE
-------	---	-----------

SYMPTOMS OF POISONING:

Headache, nausea, weakness, irritation on eyes and skin.

FIRST AID MEASURES:

If contaminating body, take off the contaminated clothes immediately. Wash the contaminated body parts with plenty of water and soap. If swallowed, do not induce vomiting. Treatment is performed by consulting a doctor. In case of poisoning, keep the patient in fresh air.

ANTIDOTE AND NECESSARY INFORMATION:

There is no special antidote. The treatment is performed as per the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

12 January 2015

Signature

MINISTRY OF FOOD AGRICULTURE AND LIVESTOCK
GENERAL DIRECTORATE OF FOOD AND CONTROL
ACCEPTED

METHOD OF APPLICATION:

Preparation:

Fill the applicator tank with water to the half point. Mix the necessary amount of product with a small amount of water in a separate container. Pour the mixture into the tank. Keep the tank mixer running and top off the tank with water. If possible, it is recommended to use a straight fan nozzle (spraying angle: 110 degrees) to ensure homogenous dispersion of product preparation. It is recommended to use 25-30 liters of water per decare (1000 m²).

INFORMATION ON RESISTANCE:

The pesticide name **Tempamet** is a herbicide classifies as Group A in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Tempamet** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group A).

MISCIBILITY:

It can be applied by mixing with herbicides, fungicides and insecticides on the recommended. It is recommended to use the mixtures without waiting.

Signature and Stamp
Dr. Yunus BAYRAM
Department Chief

HANDLING AND STORAGE CONSIDERATIONS:

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Not toxic for bees. Usable during florescence.
- Toxic for fish
- Avoid contaminating above and underground waters.

STORAGE CONDITIONS:

In its original package store it closed, away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical, chemical or chemical changes outside the tolerance limits for 2 years.

DISCLAIMER:

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.
Bekir Saydam Cad. No: 31
Pancar, Torbali, Izmir
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)