

Manufacture Date :
 Expiration Date :
 Charge No :
 Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE & TIME PERIOD	TIME BETWEEN FINAL APPLICATION & HARVEST
CUCURBITACEAE (cucumber, watermelon, melon, pumpkin)	The mildew (<i>Pseudoperonospora cubensis</i>)	100 L water/ 200 gr	21 days
WATERMELOM	The bligh of early leaf (<i>Alternaria cucumerina</i>)	100 L water/ 200 gr	14 days
THE VINEYARD	The mildew (<i>Plasmopara viticola</i>)	100 L water/ 200 gr	28 days
TOMATO	The mildew (<i>Phytophthora infestans</i>)	100 L water/ 200 gr	21 days
POTATO	The mildew (<i>Phytophthora infestans</i>)	100 L water/ 200 gr	28 days

Application:

The preparation of drug for implementation:

The store of disinfection tool is filled with water as half. Firstly the suggested dose of drug is brought into slurry with little amount of water into separated container. Then, it is conveyed into the store of disinfection tool and the require amount of water is added by mixing of it.

The execution time:

The mildew of cucurbitaceae, potato and tomato:

The disinfection should be done as protective when the first indication of disease are seen. The disinfection should be done in terms of covering the face of plants and the disinfection time should not be passed 10 days. The disinfection should be kept on according to the climax conditions and the process of disease

The mildew on vineyard: the first disinfection should be done when the suckers reach at the lengths of 25-30 cm . the disinfection should be kept on according to the process of disease and climax conditions with intervals as 15 days after made of 2. And 3. Disinfections.

The blight of early leaf on watermelon: when the first indication if disease is seen the disinfection starts. .

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



Water Soluble Granules (WG)

Name & Amount of Active Ingredient: 57% Metiram (zinc ammoniate ethylenebis (dithiocarbamate)-poly (ethylenethiruram disulfide) + %4.8 Cymoxanil (1-(2-cyano-2-methoxyiminoacetyl)-3-ethylurea)

GROUP	M3-27U	FUNGICIDE
--------------	---------------	------------------

FIRSTLY READ THE LABEL.

DO NOT USE AT HOME.

KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.

DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.

PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.

DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.

DO NOT ALLOW HUMAN AND ANIMAL TO ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY

PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.

IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS. SHAKE WELL AFTER ADDING CLEAN WATER TO EMPTY CONTAINER OF PESTICIDE WITH THE RATE OF 1/4. POUR THE SHAKEN WATER INTO DISINFECTION TANK. REPEAT THIS PROCESS THREE TIMES

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Net Amount :
 Max. Retail Sales Price :

HAZARD SYMBOLS AND EXPLANATION:



Xn: HARMFUL



N: DANGEROUS FOR THE ENVIRONMENT

INGREDIENTS:

Includes Metiram and cymoxanil

RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

R43 May cause sensitisation by skin contact

R50/53: Harmful if inhaled or contact with skin.

SAFETY EXPRESSIONS:

S1/2: Keep out of the reach of children

S 24: Avoid contact with skin

S29: Do not empty into drains

S36/37: Wear suitable clothes, protective clothes.

S46: Call a doctor immediately if swallowed and show the container or label.

S56: Dispose of this material and container in collection places for dangerous or special wastes.

S64: In case of swallowed, wash the mouth with water (if the patient is conscious)

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)

**Water Soluble Granules (WG)****Name & Amount of Active Ingredient:** 57%

Metiram (zinc ammoniate ethylenebis (dithiocarbamate)-poly (ethylenethiuram disulfide) + %4.8 Cymoxanil (1-(2-cyano-2-methoxyiminoacetyl)-3-ethylurea)

GROUP	M3-27U	FUNGICIDE
-------	--------	-----------

SYMPTOMS OF POISONING:

Headache, nausea and lethargy

FIRST AID MEASURES:

In case of poisoning, take first aid measures described below: If the body is contaminated, take off the contaminated clothes and wash the body parts in contact with the pesticide with plenty of water and soap.

If it comes to contact with the eyes, wash the eyes for 15-20 minutes with plenty of water and soap. If the pesticide is swallowed, the mouth should be rinsed with plenty of water and the patient must drink plenty of water. Seek medical help in any case of poisoning. Show the packaging and label to the doctor.

ANTIDOTE AND NECESSARY INFORMATION:

There is no special antidote. The treatment is performed as per the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114**HANDLING AND STORAGE CONSIDERATIONS:**

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for bees.
- Do not use during florescence
- Toxic for fish
- Avoid contaminating above and underground waters.

STORAGE CONDITIONS:

In its original package store it closed, away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical and chemical changes for 2 years.

DISCLAIMER

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURING AND PERMIT HOLDING COMPANY:**AGRI SCIENCES Tarım ve İlaç Ür. San. ve Tic. Ltd. Şti.**

Bekir Saydam Cad. No:31 Pancar, Torbalı-İZMİR

Tel: 0232 864 13 33 Fax: 0232 864 16 79

INFORMATION ON RESISTANCE:

The pesticide name **Impose** is a fungicide classifies as Group M3-27U in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Impose** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group M3-27U).

MISCIBILITY:

Impose can be used by mixing with pesticides including active ingredients of Kresoxim-methyl+Boscalid, Metrafenone, Alphacypermethrin, Tebufenpyrad and Teflubenzuron. The mixtures should be used immediately.

--	--	--