

Manufacture Date :
Expiration Date :
Charge No :
Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE	LAST APPLICATION-HARVEST INTERVAL
APPLE	Europe red spider (Panonychus ulmi)	25 ml/100 L water (Egg, larvae, nymph)	14 days
TOMATO	Two-pointed red spider (Tetranychus urticae)	35 ml/100 L water (Larvae, nymph)	3 days
PEPPER (greenhouse)	Two-pointed red spider (Tetranychus urticae)	35 ml/100 L water (Larvae, nymph)	3 days
COTTON	Two-pointed red spider (Tetranychus urticae)	25 ml/da (Egg, larvae, nymph)	21 days
	Red spider (Tetranychus cinnabarinus)	50 ml/da (Egg, larvae, nymph)	
WATERMELON	Two-pointed red spider (Tetranychus urticae)	25 ml/da (Larvae, nymph)	3 days
VINEYARD	Two-pointed red spider (Tetranychus urticae)	25 ml/da (Larvae, nymph)	7 days

SPECIFICATIONS:

It is contact effect acaricide. It prevents the period change against eggs, larvae and nymph of red spiders. It is not effective on matured ones. It shows its effectiveness 3-5 days later from the application and it lasts about 1 month.

USAGE METHOD:

Preparation of Pesticide:

Mix the required amount of pesticide with a little water in a container and pour it into the disinfection tank which is filled at half level with water. Then, full the tank with water. The disinfection must be performed after the flock is removed in the morning or in cool air in the evening. It may be sprayed with any kind of device.

Dr. Nevzat BIRISIK
Vice General Manager
Stamp and Signature

Continued on Page 2

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



Suspension Concentrate (SC)
Name & Amount of Active Ingredient:

In liter 110 g Etoxazole
(RS)-5tert-butyl-2-(2-(2,6 difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl)phenetole

GROUP	10 B	ACARICIDE
-------	------	-----------

FIRSTLY READ THE LABEL.
DO NOT USE AT HOME.
KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.
DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.
PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GLASSES.
DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.
NO LIMITATION REQUIRED FOR HUMAN AND ANIMAL ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY.
PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.
IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.
PUT UNUSED WATER IN FORTH OF PACKAGE OF PLANT PROTECTION PRODUCT AND SHAKE. POUR RINSING WATER INTO DISINFESTATION TANK.
REPEAT THREE TIMES.

12th April 2013

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

MINISTRY OF FOOD, AGRICULTURE AND LIVESTOCK
GENERAL DIRECTORATE OF FOOD AND CONTROL
ACCEPTED

Net Amount :
Max. Retail Sales Price :

HAZARD TYPES:

N: DANGEROUS FOR THE ENVIRONMENT

HAZARD SYMBOLS:



N: DANGEROUS FOR THE ENVIRONMENT

INGREDIENTS:

Contains Etoxazole

RISK EXPRESSIONS:

R50/53: Toxic for aquatic organisms, It can cause adverse effects longtime in aquatic environment

SAFETY EXPRESSIONS:

S1/2: Keep locked up and out of the reach of children
S9: Keep the container in a well-ventilated area.
S29: Do not empty into drains
S56: Dispose this material and container in the dangerous or special waste collection areas.

HANDLING AND STORAGE CONSIDERATIONS:

- Store the plant protection product in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put plant protection product in empty food or drink containers.
- Toxic for bees
- Do not use while florescence
- Toxic for fish
- Avoid contaminating above- and underground waters.

MANUFACTURING AND PERMIT HOLDING COMPANY:
AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31
Pancar, Torbali, Izmir, TURKEY
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)

Calibration of Disinfection Device:

Before the disinfection, the calibration of the device must be performed. Firstly, determine how much field is disinfected by spraying one-tank-water. And then, prepare pesticide-water in the dosage against this field.

INFORMATION ON RESISTANCE:

The pesticide name **Sorado** is a n acaricide classified as Group 10 B in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Sorado** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except form Group 10 B).

MISCIBILITY:

It may be mixed with insecticide, fungicide and leaf fertilizer (non-alkali) and may be applied.

Dr. Nevzat BIRISIK
Vice General Manager
Stamp and Signature

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



Suspension Concentrate (SC)

Name & Amount of Active Ingredient:

In liter 110 g Etoxazole
(RS)-5tert-butyl-2-(2-(2,6 difluorophenyl)-4,5-dihydro-1,3-oxazol-4-yl)phenetole

GROUP	10 B	ACARICIDE
--------------	-------------	------------------

SYMPTOMS OF POISONING:

Disorder on steps, paralysis on arms and legs, irregular inhale, eye watering, urinary incontinence, diarrhea. These observations are determined on rats which is given more than 3500 mg/kg.

FIRST AID MEASURES:

If the pesticide is swallowed, do not puke the patient. Lay face-down calmly and call a doctor. If it contaminates the eyes, wash with plenty of water for 15 minutes and call a doctor. if the pesticide contaminates the body, wash the skin with plenty of water.

ANTIDOTE AND NECESSARY INFORMATION:

There is no special antidote. The treatment is performed as per the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

12th April 2013

MINISTRY OF FOOD, AGRICULTURE AND LIVESTOCK
GENERAL DIRECTORATE OF FOOD AND CONTROL
ACCEPTED

STORAGE CONDITIONS:

In its original package store it closed , away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical, chemical or chemical changes outside the tolerance limits for 2 years.

DISCLAIMER:

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. User endures damage risk which can occur because of factors out of manufacturer control. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURING AND PERMIT HOLDING COMPANY:
AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.
Bekir Saydam Cad. No: 31
Pancar, Torbali, Izmir, TURKEY
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)