

Manufacture Date :
 Expiration Date :
 Charge No :
 Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE	TIME BETWEEN FINAL APPLICATION & HARVEST
Apple	The smutch (<i>Venturia inaequalis</i>)	100 L water / 60 gr	14 Days
	The mildew (<i>Podosphaera leucotricha</i>)	100 L water / 60 gr	
Pear	The smutch (<i>Venturia pyrina</i>)	100 L water / 60 gr	14 Days
Peach	Monnlia (<i>Sclerotinia laxa</i>)	100 L water / 60 gr	14 Days
Apricot	Monnlia (<i>Sclerotinia laxa</i>)	100 L water / 60 gr	14 Days
Cherry and sour cherry	Monnlia (<i>Sclerotinia laxa</i>)	100 L water / 60 gr	14 Days
New world	The smutch (<i>Venturia inaequalis</i>)	100 L water / 60 gr	14 Days
Quince	Monnlia (<i>Sclerotinia linhartiana</i>)	100 L water / 60 gr	14 Days
(x) Cucurbitaceae	The mildew (<i>Erysiphe spp.</i>)	100 L water / 40 gr	3 days
vineyard	The mildew (<i>Uncinula necator</i>)	100 L water / 100 gr	14 Days
Sugar beet	The leaf-spot (<i>Cercospora beticola</i>)	100 L water / 40 gr	21 days

(x) It should not be suggested in the region of Mediterranean and Aegean.

Application:

The preparation of drug for implementation:

The store of disinfestation tool is filled with water as half. The required amount of drug is put into slurry into separated container. Water is added until the filling of store by working the mixture-equipment. The covering should be disinfested plants during the disinfestation. The disinfestation should be done with the higher pressed pulverization device on the weather as non-windy.

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



MANDATE

Wettable Powder (WP)

Name & Amount of Active Ingredient: 70%
 Thiophanate-Methyl
 Dimethyl 4,4'-(o-phenylene)bis(3-thioallophanate)

GROUP	B1	FUNGICIDE
-------	----	-----------

FIRSTLY READ THE LABEL.
 DO NOT USE AT HOME.
 KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.
 DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.
 PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GOGGLES.
 DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.
 DO NOT ALLOW HUMAN AND ANIMAL TO ENTRY INTO PESTICIDE TREATED AREAS FOR 1 DAY
 PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.
IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Net Amount :
 Max. Retail Sales Price :

HAZARD TYPES:

Xn: Harmful N: DANGEROUS FOR THE ENVIRONMENT

HAZARD SYMBOLS



Xn: HARMFUL



N: DANGEROUS FOR THE ENVIRONMENT

INGREDIENTS:

Thiophanate-Methyl

RISK EXPRESSIONS RELATED TO APPLICATOR AND ENVIRONMENT:

R20: Harmful if inhaled.
R43: May cause sensitivity in case of contact with skin
R50/53: Too toxic for aquatic organisms, may cause adverse effects longtime in aquatic environment
R68: Risk for effect impossible to treat.

SAFETY EXPRESSIONS:

S1/2: Keep locked and out of the reach of children
S13: Keep away from food, drink and animal feeding stuffs.
S29/56: Do not empty into drains. Dispose of this material and container in collection places for dangerous or special wastes.
S24: Avoid from contact with skin.
S36/37: Wear suitable clothes, protective clothes.
S46: Call a doctor immediately if swallowed and show the container or label.

MANUFACTURING AND PERMIT HOLDING COMPANY:

AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.
 Bekir Saydam Cad. No: 31
 Pancar, Torbali, Izmir
 Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

INFORMATION ON RESISTANCE:

The pesticide name **Mandate** is a fungicide classifies as Group B1 in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Mandate** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except of Group B1).

MISCIBILITY:

It can be mixed with the pesticides except of the ones having alkali characteristics

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



MANDATE

Wettable Powder (WP)

Name & Amount of Active Ingredient: 70%
Thiophanate-Methyl
Dimethyl 4,4'-(o-phenylene)bis(3-thioallophanate)

GROUP	B1	FUNGICIDE
--------------	-----------	------------------

SYMPTOMS OF POISONING:

Dizziness, nausea, haze, dermatitis, rhinitis, weakness

FIRST AID MEASURES:

Call a doctor in case of poisoning. Take the package and label of the pesticide with you. Wash the contaminated body parts with plenty of water and soap. If contaminating eye, wash plenty of water at least for 15 minutes. Take off contaminated clothes.

ANTIDOTE AND NECESSARY INFORMATION:

There is no special antidote. The treatment is performed as per the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114**HANDLING AND STORAGE CONSIDERATIONS:**

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for fish
- Avoid contaminating above and underground waters.

STORAGE CONDITIONS:

In its original package store it closed , away from food and Keep locked up and out of the reach of children and in cool and dry place. When stored under cool and dry conditions in its original closed package, the product will not experience any physical and chemical changes for 2 years.

DISCLAIMER

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. The user is responsible for the damage risk, arising from the factors out of the manufacturer. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURING AND PERMIT HOLDING COMPANY:
AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.
Bekir Saydam Cad. No: 31
Pancar, Torbali, Izmir
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79