

Manufacture Date :  
 Expiration Date :  
 Charge No :  
 Permit Date & Number :

**FEATURES:**

**Flazon is a contact effective insecticide- acaricide which is applied by pulverization to leaves against pests in fruit, vegetables and decoration plants.**

**It is started to apply when pests are first seen and with a good veneer. It can be repeated if it is required. It isn't applied with irrigation and with airplane.**

**TARGETED PLANTS AND PESTS**

| PLANT NAME       | PEST NAME                                 | DOSAGE             | LAST APPLICATION-HARVEST INTERVAL |
|------------------|---|--------------------|-----------------------------------|
| CITRUS           | Citrus rust mite (phyllocoptuta oleivora) | 25 ml/100 L water  | 7 days                            |
|                  | Citrus leafminer (phyllocnistis citrella) | 25 ml/ 100 L water |                                   |
| TOMATO           | Red spider (Tetranychus urticae)          | 25 ml/da           | 3 days                            |
| DECORATION PLANT | Liriomyza trifolii                        | 25 ml/100 L water  | -                                 |
| COTTON           | Red spider (tetranychus urticae)          | 50 ml/da           | 20 days                           |

**USAGE METHOD:**

**Preparation of Pesticide:**

Fill the disinfection tool in half with water. Pour pesticide which is premixed in another tank into storage of tool. Operate the mixing system of tool, full the storage with water. Pay attention to get all sides of plant wet during disinfection.

**Application time:**

**Citrus:** Disinfection must be done when citrus rust mite density is seen. Coating disinfection is required for a good struggle. Per tree 10-20 liter liquid is enough. It can be mixed with summer oil at the rate of %0.25.

**For citrus leafminer:** When contagion is detected in fresh offshoots, disinfection is started and then if there is a new contagion it is repeated 10-15 days apart.

**Decoration plants:** When first liriomyza trifolii symptoms are seen, disinfection is started. Disinfection can be repeated if it is required. There should be minimum 7 days between 2 disinfections.

**Dr.NEVZAT BIRISIK**

**General Manager Deputy**

**STAMP AND SIGNATURE**

Continued on Page 2

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



**Emulsion Concentrate (EM)**

**Name & Amount of Active Ingredient:**

In liter 18 g Abamectin

Abamectin %80 Avermectin B 1 a= Avermectin A 1a (5-0-demethyl) ve %20 Avermectin B1b =Avermectin A 1a (5-0-demethyl-25- de-(1-methylpropyl)-25-(1-methylethyl)

|              |          |                              |
|--------------|----------|------------------------------|
| <b>GROUP</b> | <b>6</b> | <b>INSECTICIDE-ACARICIDE</b> |
|--------------|----------|------------------------------|

FIRSTLY READ THE LABEL.  
 DO NOT USE AT HOME.  
 KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.  
 DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.  
 PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GLASSES.  
 DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.  
 NO LIMITATION REQUIRED FOR HUMAN AND ANIMAL ENTRY INTO PESTICIDE TREATED AREAS FOR 4 HOURS.  
 PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.  
 IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.  
 PUT UNUSED WATER IN FORTH OF PACKAGE OF PLANT PROTECTION PRODUCT AND SHAKE. POUR RINSING WATER INTO DISINFESTATION TANK.  
 REPEAT THREE TIMES.

**NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114**

MINISTRY OF FOOD, AGRICULTURE AND LIVESTOCK  
 GENERAL DIRECTORATE OF FOOD AND CONTROL  
 ACCEPTED  
 26 APRIL 2013

Net Amount :  
 Max. Retail Sales Price :

**HAZARD TYPES:**

T:TOXIC N: DANGEROUS FOR THE ENVIRONMENT

**HAZARD SYMBOLS:**



N: DANGEROUS FOR THE ENVIRONMENT

**INGREDIENTS:**

CONTAINS Abamectin, 2-pyrrolidinone, 1- methyl and solvesso 100.

**RISK EXPRESSIONS:**

**R10:** It flares.  
**R26:** It is toxic when respired.  
**R28:** It is toxic when swallowed.  
**R36/37/38:** It irritates eyes, respiration system and skin.  
**R48/25:** Toxic: Damage risk to health when exposed to with swallow.  
**R65:** Harmful: It can cause damage in lungs when swallowed.  
**R50/53:** Toxic for aquatic organisms, it can cause adverse effects longtime in aquatic environment.

**SAFETY EXPRESSIONS:**

**S1/2:** Keep locked up and out of the reach of children  
**S13:** Keep away from food, drink and animal feeding stuffs.  
**S20:** Do not eat or drink during usage.  
**S25:** Avoid touching with eyes.  
**S26:** In the event of touching with eyes, immediately wash them plenty of water and consult doctor.  
**S28:** In the event of touching with skin, immediately wash it plenty of water.  
**S29:** Do not empty into drains  
**S35:** This substance and tank must be removed safely.

**ANTI-RESISTANCE (IMMUNITY PREVENTER)**

**MANUFACTURING AND PERMIT HOLDING COMPANY:**  
 AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31  
 Pancar, Torbali, Izmir, TURKEY  
 Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)

**Tomato:** When average 1-3 red spiders per leaf are seen, disinfestation must be done.  
**Cotton:** When average 1-3 alive red spiders per leaf are seen, disinfestation must be done.

**INFORMATION ON RESISTANCE:**

The pesticide name **Flazon** is an insecticide/acaricide classified as Group 6 in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **Flazon** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except form Group 6).

**MISCIBILITY:**

Its mixture with other pesticides should be tried beforehand. It isn't mixed with pesticide with alkali reaction. Because of resistance to pesticide it is advised in programs which pesticides which have different action mechanism are required.

**Dr.NEVZAT BIRISIK**  
**General Manager Deputy**  
**STAMP AND SIGNATURE**

Continued on Page 3

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



**Emulsion Concentrate (EM)**  
**Name & Amount of Active Ingredient:**

In liter 18 g Abamectin  
Abamectin %80 Avermectin B 1 a= Avermectin A 1a (5-0-demethyl) ve %20 Avermectin B1b =Avermectin A 1a (5-0-demethyl-25- de-(1-methylpropyl)-25-(1-methylethyl))

|              |          |                              |
|--------------|----------|------------------------------|
| <b>GROUP</b> | <b>6</b> | <b>INSECTICIDE-ACARICIDE</b> |
|--------------|----------|------------------------------|

**SYMPTOMS OF POISONING:**

It causes pupils enlarge, loss of concentration and muscle contraction.

**FIRST AID MEASURES:**

**In the event of touching with eyes:** Wash them minimum 15 minutes with plenty of fresh water and take medical measures.

**In the event of touching with skin:** Take off clothes contaminated with pesticide and wash the parts which are touched with soap and water.

**In the event of respired:** Take patient to clean air. Make somebody do artificial respiration if it is required.

**In the event of swallowed:** In the event of taking excessive pesticide, cause the patient to vomit by giving her/him 1 glass or 2 glassed. If the patient is not conscious, don't try to cause her/him to vomit.

**NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114**

MINISTRY OF FOOD, AGRUCULTURE AND LIVESTOCK  
GENERAL DIRECTORATE OF FOOD AND CONTROL  
ACCEPTED  
26 APRIL 2013

**S43: In the event of inflammation, use foam, carbon dioxide, fire-extinguishing powder.**

**S38: Wear respirator in insufficient ventilation conditions.**

**S36/37/39:** Wear suitable protective clothing, gloves and eye/face protection

**S45:** Consult a doctor in the event of accident or you don't feel good. (show the label if it is possible)

**S46:** Call a doctor if swallowed and show the container or label.

**S56:** Dispose of this material and its container at hazardous or special waste collection point

**S63:** Do not cause vomit in the event of swallow. Immediately consult first aid service, show tank or label.

**S64:** When swallowed, wash the mouth with water (if person is conscious)

**HANDLING AND STORAGE CONSIDERATIONS:**

- Store the plant protection product in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put plant protection product in empty food or drink containers.
- Toxic for bees.
- Do not use during foliation season.
- Toxic for fish
- Avoid contaminating above- and underground waters.
- Keep away from fire due to its flammable feature.

**MANUFACTURING AND PERMIT HOLDING COMPANY:**  
**AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.**  
Bekir Saydam Cad. No: 31  
Pancar, Torbali, Izmir, TURKEY  
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)

**Dr.NEVZAT BIRISIK**  
**General Manager Deputy**  
**STAMP AND SIGNATURE**

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



**Emulsion Concentrate (EM)**

**Name & Amount of Active Ingredient:**

In liter 18 g Abamectin  
Abamectin %80 Avermectin B 1 a= Avermectin A 1a (5-0-demethyl) ve %20 Avermectin B 1b =Avermectin A 1a (5-0-demethyl-25- de-(1-methylpropyl)-25-(1-methylethyl)

|              |          |                                   |
|--------------|----------|-----------------------------------|
| <b>GROUP</b> | <b>6</b> | <b>INSECTICIDE-<br/>ACARICIDE</b> |
|--------------|----------|-----------------------------------|

**ANTIDOTE AND IMPORTANT INFORMATION:**

There is no special antidote. Treatment for symptoms. In the event of poisoning, the patient must be caused to vomit within 30 minutes. Medical coal must be given. Such pesticides as Barbiturate, Benzodiazepine, Valproic must be given because they accelerate B1 gaba activity.

**NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114**

MINISTRY OF FOOD, AGRUCULTURE AND LIVESTOCK  
GENERAL DIRECTORATE OF FOOD AND CONTROL  
ACCEPTED  
26 APRIL 2013

**STORAGE CONDITIONS:**

In its original package store it closed , away from food and keep locked up and out of the reach of children and in cool and dry place. When stored under normal (cool and dry) conditions in its original closed package, the product will not experience any physical, chemical or chemical changes outside the tolerance limits for 2 years.

**DISCLAIMER:**

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. User endures damage risk which can occur because of factors out of manufacturer control. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

**MANUFACTURING AND PERMIT HOLDING COMPANY:**

**AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.**  
Bekir Saydam Cad. No: 31  
Pancar, Torbali, Izmir, TURKEY  
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)