

Manufacture Date :
Expiration Date :
Charge No :
Permit Date & Number :

TARGETED PLANTS AND PESTS

PLANT NAME	PEST NAME	DOSAGE	LAST APPLICATION-HARVEST INTERVAL
COTTON	<i>Cotton bollworm (Helicoverpa armigera)</i>	40 ml/da	14 days

METHOD OF APPLICATION:

Preparation:

The needed amount of product to be used should be added to some water and mixed into slurry in a separate container. Then this slurry should be poured while mixing into the tank of sprayer which should be half filled with water beforehand. Prepared product solution should be used without delay. Mixing should be continued during spraying.

TIME OF APPLICATION

Cotton bollworm: Disinfection should be made after flowering when the eggs are hatched. According to the density of the pestilent, if necessary, the application could be repeated with 2 week intervals.

INFORMATION ON RESISTANCE:

The pesticide name **Lorder** is a fungicide classified as Group UN in accord with its action mechanism. Repeated applications of pesticides with same action mechanisms invite development of resistance. Therefore, to delay development of resistance, do not exceed the recommended number of **lorder** applications in the same season. In case repeated application is necessary, take care to use pesticides with a different action mechanism (except form Group UN).

MISCIBILITY:

Continued on Page 2

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.



Suspension consantre (SC)

Name & Amount of Active Ingredient: In liter 125 g
Imidaclorpid +50 g Lambdacyhalothrin

GROUP		FUNGICIDE
-------	--	-----------

FIRSTLY READ THE LABEL.
DO NOT USE AT HOME.
KEEP AWAY FROM CHILDREN, FOODSTUFFS AND ANIMAL FEED.
DO NOT INHALE VAPORS AND/OR PARTICLES OF PESTICIDE.
PLEASE USE PROTECTIVE CLOTHING, GLOVES AND GLASSES.
DO NOT EAT, DRINK OR SMOKE DURING APPLICATION OF PESTICIDE.
NO LIMITATION REQUIRED FOR HUMAN AND ANIMAL ENTRY INTO PESTICIDE TREATED AREAS FOR 4 HOURS.
PLEASE FOLLOW THE USAGE INSTRUCTIONS TO PREVENT ANY HUMAN HEALTH AND ENVIRONMENTAL RISKS.
IT IS STRICTLY PROHIBITED TO USE THE PESTICIDE ON ANYTHING OTHER THAN RECOMMENDED TARGETS.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

Net Amount :
Max. Retail Sales Price :

RISK EXPRESSION CONCERNING WITH APPLICATOR AND ENVIRONMENT

SAFETY EXPRESSION:

HANDLING AND STORAGE CONSIDERATIONS:

- Store the pesticide in its closed packaging.
- Suitably dispose the empty packages.
- Do not use empty packages for any other purpose.
- Do not put pesticide in empty food or drink containers.
- Toxic for fish
- Avoid contaminating above- and underground waters.
- It does not contaminate surface waters with usage of chemicals and containers. Empty containers are rinsed 3 times and gets disposed of properly according to the local regulations.

STORAGE CONDITIONS:

In its original package store it closed , away from food and keep locked up and out of the reach of children and in cool and dry place. When stored under normal (cool and dry) conditions in its original closed package, the product will not experience any physical, chemical or chemical changes outside the tolerance limits for 2 years.

DISCLAIMER:

The manufacturer warrants the quality of the product as long as it is sold in its original packaging. User endures damage risk which can occur because of factors out of manufacturer control. The manufacturer shall not accept any responsibility regarding damages originating from erroneous storage or failure to follow instructions.

MANUFACTURER:

THE PLACE OF PRODUCTION:

MANUFACTURING AND PERMIT HOLDING COMPANY:
AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.

Bekir Saydam Cad. No: 31

Pancar, Torbali, Izmir, TURKEY

Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

AGRI SCIENCES TARIM ve ILAC UR. SAN. ve TIC. LTD. STI.

**Suspension consantre (SC)****Name & Amount of Active Ingredient:** In liter 200 g
Azoxystrobi +80 g Cyproconazole

GROUP	FUNGICIDE
-------	-----------

SYMPTOMS OF POISONING:

In case the product is ingested, the symptoms are not specific. Nausea, vomiting and stomach ache along with diarrhoea may be observed.

FIRST-AID MEASURES:

In case of ingestion, do not try to puke. Immediately call a physician or bring the patient to a physician with the container or label of the product.

In case the product has contacted the eyes have the patient keep his/her eyes open and gently rinse the eyes with plenty of water for 15 minutes. In case the product has contacted skin stop work immediately. Take off the clothes and wash the skin with soap and water.

ANTIDOTE AND NECESSARY INFORMATION: There is no special antidote. Treatment is applied according to the symptoms.

NATIONAL TOXIN HOTLINE (UZEM) PHONE: 114

MANUFACTURING AND PERMIT HOLDING COMPANY:
AGRI SCIENCES TARIM VE ILAC UR. SAN. VE TIC. LTD. STI.
Bekir Saydam Cad. No: 31
Pancar, Torbali, Izmir, TURKEY
Tel: +90-232-864-13-33 Fax: +90-232-864-16-79

(Company Stamp & Signature)